



Department
of
Defense

DoD
Transportation
Electronic Business
(DTEB) Convention

ASC X12 Transaction Set 220
Logistics Service Response
(Version 004010) – 3rd Party
Logistics Transportation Service
Response

VERSION 4

May 2016



Department
of
Defense

DoD
Transportation
Electronic Business
(DTEB) Convention

ASC X12 Transaction Set 220
Logistics Service Response
(Version 004010) – 3rd Party
Logistics Transportation Service
Response

VERSION 4

CONTENTS

1.0 INTRODUCTION

2.0 CONTROL SEGMENTS

3.0 STANDARD IMPLEMENTATION CONVENTION

4.0 IC ELEMENT MATRIX

5.0 RESERVED

6.0 IC CODE LISTS

7.0 RESERVED

8.0 RESERVED

9.0 RESERVED

(Blank Page)

Section 1.0

INTRODUCTION

This implementation convention (IC) describes the standard or convention that Department of Defense shippers will use to generate a response to a transportation service request in support of the Defense Freight Transportation Services (DFTS) program. The copyright on the ASC X12 standards is held by the Data Interchange Standards Association on behalf of ASC X12.

For further information about the DTEB program, contact the following:
United States Transportation Command
TCJ6-SD
508 Scott Drive
Scott Air Force Base, IL 62225-7001

For the most recent publication, go to the World-Wide Web at

https://its.ustranscom.mil/cris/dteb/ic/trans_ics.cfm

[Note: To access the publication, you must have an Information Tool Suite (ITS) account.]

Who Needs to Use This Document

Computer programmers use this document to identify the data requirements for populating an EDI transaction.

Why Use a Convention

A convention defines the rules for populating an EDI transaction. Following a convention ensures that trading partners will encounter fewer data quality problems during development and maintenance of EDI systems.

Contents

Additional sections are included in this document.

- Section 2.0, Control Segments, identifies the specific data requirements for formatting the EDI interchange control segments that envelop all EDI transactions.
- Section 3.0, Standard Implementation Convention, lists the layout of the target transaction set by segment and data element. It is presented in the standard publishing format prescribed by the Defense Information Systems Agency (DISA).
- Section 4.0, IC Element Matrix, identifies the application data elements trading partners need to exchange. This section can be used to map an existing application database into the transaction set.
- Section 5.0 , when present, contains an example of the EDI transactions.
- Section 6.0, Application Code Lists, when present, identifies the DoD codes that trading partners need to exchange. This section augments the matrix presented in Section 4.0.

What's New In Version 4

Added in Version 4

DM Number	DM Description	Approval Date
1227	In Section 6 for the N722, DE 24, at index [13-22] add the following codes under the Type of Equipment table for Motor and TOFC: AF4 == Flat bed w/Conestoga trailers 30 ft and less AF5 == Flat bed w/Conestoga trailers 31-40 ft AF6 == Flat bed w/Conestoga trailers over 40 ft	5/20/2016

1224

5/20/2016

1. In Section 6 for the L901, DE 150, at index [11-01] add the following code under the Accessorial / Protective Service for Air Shipments table:
Code == X12 Definition == DOD Definition
020 == Address Correction

2. Add the following code under the Accessorial / Protective Service for Motor Shipments table:
Code == X12 Definition == DOD Definition
EXD == Extra Driver

3. Add the following codes under the Accessorial Service for Rail Shipments table:
Code == X12 Definition == DOD Definition
490 == Minimum Air Transportation Charge == Crane Operator at Destination
495 == Miscellaneous - Destination == Crane at Destination
500 == Miscellaneous - Origin == Crane at Origin
505 == Missing Account NBR Charge == Crane Operator at Origin
AAM == Additional Material == Protective Material Provided for Blocking and Bracing
DPD == Drayage at Port of Debarkation == Drayage at Destination
DPE == Drayage at Port of Embarkation == Drayage at Origin
DTB == Detention (Labor) == Detention of Vehicles
FCS == Furnishing Chassis == Furnishing Chassis for COFC Shipments
LDA == Loading Allowance == Carrier to Load
LDL == Unloading Allowance == Carrier to Unload
LFD == Linehaul From Port of Debarkation == Dedicated Switch Engine Crew at Destination
LIE == Liability of Carrier Charge == Liability of Transportation Service Provider
LMD == Liner Terms at Port of Debarkation == Dedicated Switch Engine at Destination
LME == Liner Terms at Port of Embarkation == Dedicated Switch Engine at Origin
LTE == Linehaul to Port of Embarkation == Dedicated Switch Engine Crew at Origin
RCC == Reconsignment Charge == Reconsignment/Diversion
RDH == Railhead Handling == Technical Assistance for Loading Rail Cars
SRG == Storage
SRS == Surveying Routes
SUP == Supervisor Requested == Inspector Requested for Loading
TER == Terminal Handling Charges == Carrier to Unblock, Unbrace, and Untie

Added in Version 3

DM Number	DM Description	Approval Date
1220	<p>Flag the ITA segment at table/position 1/090 as used, with usage requirement as 'Conditional', at (new) index [10] and renumber all subsequent indices; apply DOD segment name of 'Time-Definite Service Level'. Add segment condition note that reads: "SEGMENT CONDITION: Only used for DFTS shipments where Time-Definite Service Level requirements are met. If used, the N722 - Equipment Type code must equal 'QQ'."</p> <p>In the ITA segment at (new) index [10-01] flag the ITA01, DE 284 as used, with usage requirement as mandatory, and DOD usage name of 'Time-Definite Service Level Indicator'. Add the following X12 code 'S - Service'.</p> <p>In the ITA segment at (new) index [10-03] flag the ITA03, DE 560 as used, with usage requirement as mandatory, and DOD usage name of 'Time-Definite Service Code'. Add the following X12 codes with DOD definitions: Code == X12 Definition == DOD Definition D1 == One - Day Service D2 == Two - Day Service DA == Delivery Acknowledgment == Three - Day Service</p>	4/11/2016

Added in Version 2

DM Number	DM Description	Approval Date
1209	<p>In the N104, DE 67 at index [15-04], add a usage note which reads "If DoDAAC/CAGE is unavailable, then N104 = 'XXXXXX' and the complete clear text name and address of the origin is required in the associated N1 loop."</p> <p>In the N104, DE 67 at index [21-04], add a usage note which reads "If DoDAAC/CAGE is unavailable, then N104 = 'XXXXXX' and the complete clear text name and address of the ship-to is required in the associated N1 loop."</p>	11/13/2015

Added in Version 1

DM Number	DM Description	Approval Date
1205	<p>In the B902, data element 353, at index [2-02] add the code '44 – Rejection' with DoD usage note that reads "Use '44' to denote Refusal of Service".</p> <p>Add new occurrence of NTE segment at position 8 with DoD Usage Name "Refusal of Service Reason", DoD attribute of Conditional, and segment condition note that reads: "SEGMENT CONDITION: Use this segment to indicate the reason for a refusal of service.</p> <p>Add new NTE01, data element 363, at index [8-01] with DoD definition of "Refusal of Service Qualifier"; add the code 'RPT - Report Remarks' with a DoD usage note that reads "Use 'RPT' to denote Refusal of Service Comments. Required and only used when B902 equals '44'".</p> <p>Add new NTE02, data element 352, at index [8-02] with DoD definition of "Refusal of Service Comments"; add DoD usage note that reads "Required and only used when B902 equals '44'. Used to pass the text description of the reason for refusal of service to be provided by the 3rd Party Logistics Coordinator".</p> <p>CMD == Comb. Rates over Detroit == Redelivery of Keep From Freezing</p>	10/23/2015
1203	<p>In the B902, DE 353, at index [2-02] remove the code '01 - Cancellation'.</p>	10/23/2015
1187	<p>Change the DOD attributes of the NTE segment at index [6] from Mandatory to Conditional. Change the segment condition note that reads: "Use this segment to indicate the rate structure applied under the DFTS contract. Use of this segment is required for all DFTS transportation service responses." to read: "SEGMENT CONDITION: Use this segment to indicate the rate structure requested under the DFTS contract. Use of this segment is required for all DFTS transportation service responses except those transported by rail."</p>	6/29/2015
1185	<p>In the L304, DE 122, at index 10-04 add the following codes:</p> <p>Code Value == X12 Definition == DOD Definition</p> <p>PA == Per Container</p> <p>PC == Per Car == Per Rail Car Used</p> <p>PV == Per Vehicle == Per Vehicle Moved</p>	6/29/2015

Section 2.0

CONTROL SEGMENTS

Instruction

For detailed description of DoD data conventions for formatting Interchange Control and Functional Group segments for use among Defense Transportation Electronic Business (DTEB) trading partners refer to the DoD Transportation Electronic Business (DTEB) Convention, ASC X12 Control Segments (Version 004010), located at:

https://its.ustranscom.mil/cris/dteb/ic/trans_ics.cfm

[Note: To access publication, you must have an ITS account.]

Commercial Trading Partners and DoD personnel that do not hold an ITS account may view the Convention at:

<http://www.transcom.mil/cmd/associated/dteb/>

Section 3.0

STANDARD IMPLEMENTATION CONVENTION

This section presents the DoD's convention for interpreting Transportation Service Response using the ASC X12.Transaction Set 220 Logistics Service Response (Version 004010).

Symbols that appear in the Data Element Summary to the left of each segment reference designator (Ref. Des.) define implementation convention usage for the DoD. These designations may differ from ASC X12 convention attributes appearing in the right-hand column of the Data Element Summary and should be interpreted as follows:

- [*blank*] - Segment or data element may be used optionally
- M - X12 standards designate mandatory use of segment or data element
- >> - Segment or data element is mandatory for DTEB use
- X - Segment or data element is not used.

NOTE: Whenever a segment occurs more than once, DoD's actual usage requirement may differ among the instances of segment usage. In all cases, the Data Element Summary will indicate the highest order DoD requirement. In other words, if one or several particular instances for a segment are OPTIONAL but another is MANDATORY, the Data Element Summary will indicate a MANDATORY requirement. A review of the IC layout in Section 4.0 will distinguish among the multiple instances and clarify the usage requirement for each instance.

(Blank Page)

220 Logistics Service Response

Functional Group ID=**AH**

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Logistics Service Response Transaction Set (220) for use within the context of an Electronic Data Interchange (EDI) environment. This set can be used by a logistics related organization to transmit data to a shipper in response to a logistics service request.

Heading:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
M	010	ST	Transaction Set Header	M	1		
M	020	B9	Beginning Segment for Logistics Services	M	1		n1
M	030	B9A	Service Request	M	7		
Must Use	040	L11	Business Instructions and Reference Number	O	99		
Not Used	050	G62	Date/Time	O	5		
Must Use	060	MS3	Interline Information	O	99		
	070	NTE	Note/Special Instruction	O	10		
LOOP ID - 0500						99	
Must Use	080	LCD	Place/Location Description	O	1		n2
	090	ITA	Allowance, Charge or Service	O	999		
Not Used	100	L8	Line Item Subtotal	O	999		
	110	L9	Charge Detail	O	999		
Must Use	120	L3	Total Weight and Charges	O	999		
LOOP ID - 1000						99	
	130	N7	Equipment Details	O	1		
Not Used	140	N7A	Accessorial Equipment Details	O	1		
Not Used	150	N7B	Additional Equipment Details	O	1		
Not Used	160	MEA	Measurements	O	1		
Not Used	170	M7	Seal Numbers	O	2		

Detail:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
LOOP ID - 2000						99	
	010	S5	Stop-off Details	O	1		n3
Must Use	020	G62	Date/Time	O	2		
Not Used	030	L11	Business Instructions and Reference Number	O	99		
Not Used	040	ITA	Allowance, Charge or Service	O	20		
LOOP ID - 2100						1	
Must Use	050	N1	Name	O	1		
	060	N2	Additional Name Information	O	1		
Must Use	070	N3	Address Information	O	2		
Must Use	080	N4	Geographic Location	O	1		
Not Used	090	PER	Administrative Communications Contact	O	3		

LOOP ID - 2200			999			
Not Used	100	LX	Assigned Number	O	1	n4
Not Used	110	LCT	Logistics Container Tracking Information	O	1	
Not Used	120	MAN	Marks and Numbers	O	10	
Not Used	130	AT5	Bill of Lading Handling Requirements	O	6	
Not Used	140	AMT	Monetary Amount	O	1	
Not Used	150	L11	Business Instructions and Reference Number	O	10	
LOOP ID - 2250			999			
Not Used	160	LAD	Lading Detail	O	1	n5
Not Used	170	PO4	Item Physical Details	O	1	
Not Used	180	G69	Line Item Detail - Description	O	99	
Not Used	190	AT5	Bill of Lading Handling Requirements	O	6	
Not Used	200	AMT	Monetary Amount	O	1	
Not Used	210	L11	Business Instructions and Reference Number	O	10	
M	220	SE	Transaction Set Trailer	M	1	

Transaction Set Notes

1. The reference number in the B9 segment, element 01 must be a unique logistics identification number.
2. The 0500 Loop provides rate information back to shipper.
3. The 2000 Loop defines pickup or delivery information for an order.
4. The 2200 Loop provides details for tracking containers within an order.
5. The 2250 Loop provides item details.

Segment: **ST** Transaction Set Header
Position: 010
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:
Semantic Notes: 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
Comments:
Business Rules: Variable Name: STST
Notes: [1] ST SEGMENT - 3rd Party Logistics Transportation Service Response Header
 Use this implementation convention (IC) for 3rd Party Logistics Transportation Service Response.

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set [1-01] Transaction Set Identifier Code	M ID 3/3
		220	Logistics Service Response [1-01] Logistics Service Response	
M	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set [1-02] Transaction Set Control Number The application and structure of the control number must be agreed upon between trading partners. (For example, some applications use all nine digits where the first five might indicate a group control number and the last four represent the sequence of the transaction set within the functional group. Also, the entire nine digit field may simply represent the sequence of the transaction set generated by a trading partner.)	M AN 4/9

Segment: **B9** Beginning Segment for Logistics Services
Position: 020
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the beginning of a logistics service transaction set
Syntax Notes:
Semantic Notes: 1 B901 is the logistics identification number.
Comments:
Notes: [2] B9 SEGMENT - Record Number/Purpose/Shipment Method

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
M	B901	127 Reference Identification	M AN 1/30
		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
		[2-01] 3rd Party Logistics Coordinator Internal Order Number	
		Enter the internal order number assigned by the 3rd Party Logistics Coordinator's transportation management system.	
M	B902	353 Transaction Set Purpose Code	M ID 2/2
		Code identifying purpose of transaction set	
		[2-02] Transaction Set Purpose Code	
		00 Original	
		[2-02] Original	
		Use '00' to denote Original Response	
		04 Change	
		[2-02] Change	
		Use '04' to denote Change or Additional Information transmitted subsequent to the original response	
		44 Rejection	
		[2-02] Rejection	
		Use '44' to denote Refusal of Service	
X	B903	146 Shipment Method of Payment	O ID 2/2
		Refer to 004010 Data Element Dictionary for acceptable code values.	

Segment: **B9A** Service Request
Position: 030
Loop:
Level: Heading
Usage: Mandatory
Max Use: 7
Purpose: To identify the specified logistics services requested
Syntax Notes:
Semantic Notes:
Comments:
Notes: [3] B9A SEGMENT - Service Request Code

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
M	<u>Des.</u> B9A01	<u>Element</u> 1644 Service Request Code	M ID 2/2
		Code indicating the type of logistics service requested	
		[3-01] Service Request Code	
		RE Rate Estimate	
		[3-01] Rate Estimate	
		Use 'RE' to denote this is a Defense Freight Transportation Services (DFTS) shipment	

Segment: **L11 Business Instructions and Reference Number**
Position: 040
Loop:
Level: Heading
Usage: Optional (Must Use)
Max Use: 99
Purpose: To specify instructions in this business relationship or a reference number
Syntax Notes:

- 1 At least one of L1101 or L1103 is required.
- 2 If either L1101 or L1102 is present, then the other is required.

Semantic Notes:

Comments:

Notes:

[4] L11 SEGMENT - Shipper Offer Record Number
 Use this segment to indicate the offer record number that appeared in the B901 of the shipper's 219A request. Repeat the segment for as many offers as this transaction is responding to. Sequence the offer record numbers according to desired trailer load sequence (i.e., load last load first, first load last, etc.).

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
>>	L1101	127	Reference Identification	X AN 1/30
			Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	
			[4-01] Shipper Offer Record Number	
			Enter the unique logistics identification number assigned by the shipper. This will equal the number submitted in the B901 of a corresponding X12 219 transportation offer.	
>>	L1102	128	Reference Identification Qualifier	X ID 2/3
			Code qualifying the Reference Identification	
			[4-02] Shipper Offer Record Number Qualifier	
			CR Customer Reference Number	
			[4-02] Customer Reference Number	
			Use 'CR' to denote Shipper Offer Record Number	
X	L1103	352	Description	X AN 1/80

Segment: MS3 Interline Information
Position: 060
Loop:
Level: Heading
Usage: Optional (Must Use)
Max Use: 99
Purpose: To identify the interline carrier and relevant data
Syntax Notes: 1 If MS305 is present, then MS303 is required.
Semantic Notes: 1 MS301 is the Standard Carrier Alpha Code (SCAC) of the interline carrier.
 2 MS303 is the city where the interline was performed.
Comments:
Notes: [5] MS3 SEGMENT - Carrier Assigned to Shipment

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	MS301	140	Standard Carrier Alpha Code Standard Carrier Alpha Code [5-01] Standard Carrier Alpha Code (SCAC) The SCAC of the carrier to which the 3rd Party Logistics Coordinator assigned the shipment SOURCE: Directory of Standard Multi-Model Carriers and Tariff Agents Codes (SCAC-STAC), NMF 101 Series available from National Motor Freight Association, Inc.	M ID 2/4
M	MS302	133	Routing Sequence Code Code describing the relationship of a carrier to a specific shipment movement [5-02] Routing Sequence Code B Origin/Delivery Carrier (Any Mode) [5-02] Origin/Delivery Carrier (Any Mode)	M ID 1/2
X	MS303	19	City Name	X AN 2/30
>>	MS304	91	Transportation Method/Type Code Code specifying the method or type of transportation for the shipment [5-04] Transportation Method/Type Code A Air [5-04] Air AE Air Express [5-04] Air Express AF Air Freight [5-04] Air Freight DW Driveaway, Truckaway, Towaway DoD policy includes all three terms in one. They mean collectively, a transportation method whereby a vehicle is moved under its own power by a driver, or loaded into or upon a carrier's equipment, or towed by carrier's equipment [5-04] Driveaway, Truckaway, Towaway J Motor [5-04] Motor Use 'J' to denote Motor, Truckload L Contract Carrier [5-04] Contract Carrier Use 'L' to denote Scheduled/Dedicated Trucks LT Less Than Trailer Load (LTL) [5-04] Less Than Trailer Load (LTL) Use 'LT' to denote Motor, Less Than Truckload	O ID 1/2

			R	Rail	
				[5-04] Rail	
			X	Use 'R' to denote Rail, Carload Intermodal (Piggyback)	
				[5-04] Intermodal (Piggyback)	
X	MS305	156	State or Province Code		O ID 2/2

Segment: **NTE** Note/Special Instruction
Position: 070
Loop:
Level: Heading
Usage: Optional
Max Use: 10
Purpose: To transmit information in a free-form format, if necessary, for comment or special instruction

Syntax Notes:
Semantic Notes:
Comments:

1 The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processable. The use of the NTE segment should therefore be avoided, if at all possible, in an automated environment.

Notes:
 [6] NTE SEGMENT - Rate Structure Tier Applied
 SEGMENT CONDITION: Use this segment to indicate the rate structure requested under the DFTS contract. Use of this segment is required for all DFTS transportation service responses except those transported by rail.
 [7] NTE SEGMENT - Number of Vehicles Requested
 SEGMENT CONDITION: Use when requesting truckload moves and the shipper knows the number trucks required for the move.
 [8] NTE SEGMENT - Refusal of Service Reason
 SEGMENT CONDITION: Use this segment to indicate the reason for a refusal of service.

Data Element Summary

Ref.	Data Element	Name	Attributes
>>	NTE01	363 Note Reference Code	O ID 3/3
		Code identifying the functional area or purpose for which the note applies	
		[6-01] Rate Structure Tier Qualifier	
		[7-01] Number of Vehicles Requested Qualifier	
		[8-01] Refusal of Service Qualifier	
		EED Equipment Description	
		[7-01] Equipment Description	
		Use 'EED' to denote Number of Vehicles Requested	
		RPT Report Remarks	
		[8-01] Report Remarks	
		Use 'RPT' to denote Refusal of Service Comments.	
		Required and only used when B902 equals '44'	
		TRA Transportation	
		[6-01] Transportation	
		Use 'TRA' to denote DFTS Rate Structure Tier	
M	NTE02	352 Description	M AN 1/80
		A free-form description to clarify the related data elements and their content	
		[6-02] Rate Structure Tier Applied	
		Use this element to indicate the DFTS Rate Structure Tier and method applied by the DFTS coordinator.	
		[7-02] Number of Vehicles Requested	
		Enter numeric value of the number of vehicles being requested.	
		[8-02] Refusal of Service Comments	
		Required and only used when B902 equals '44'. Used to pass the text description of the reason for refusal of service to be provided by the 3rd Party Logistics Coordinator	
		43 New Code Added by IC	
		[6-02] 4/8 Rate Structure Tier with a 3 digit zip code rating method applied	

45	New Code Added by IC [6-02] 4/8 Rate Structure Tier with a 5 digit zip code rating method applied
4S	New Code Added by IC [6-02] 4/8 Rate Structure Tier with a state rating method applied
123	New Code Added by IC [6-02] 12/24 Rate Structure Tier with a 3 digit zip code rating method applied
125	New Code Added by IC [6-02] 12/24 Rate Structure Tier with a 5 digit zip code rating method applied
12S	New Code Added by IC [6-02] 12/24 Rate Structure Tier with a state rating method applied
243	New Code Added by IC [6-02] 24/48 Rate Structure Tier with a 3 digit zip code rating method applied
245	New Code Added by IC [6-02] 24/48 Rate Structure Tier with a 5 digit zip code rating method applied
24S	New Code Added by IC [6-02] 24/48 Rate Structure Tier with a state rating method applied

Segment: **LCD** Place/Location Description
Position: 080
Loop: 0500 Optional (Must Use)
Level: Heading
Usage: Optional (Must Use)
Max Use: 1
Purpose: To further define and describe a place or location
Syntax Notes: 1 If either LCD05 or LCD06 is present, then the other is required.
Semantic Notes:
Comments:
Notes: [9] LCD SEGMENT - Mandatory Loop Header Segment required because L3 segment is used.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	LCD01	350	Assigned Identification Alphanumeric characters assigned for differentiation within a transaction set [9-01] Mandatory Element	M AN 1/20
X	LCD02	98	Entity Identifier Code Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 2/3
X	LCD03	306	Action Code	O ID 1/2
X	LCD04	373	Date	O DT 8/8
X	LCD05	66	Identification Code Qualifier Refer to 004010 Data Element Dictionary for acceptable code values.	X ID 1/2
X	LCD06	67	Identification Code	X AN 2/80

Segment:	ITA Allowance, Charge or Service
Position:	090
Loop:	0500 Optional (Must Use)
Level:	Heading
Usage:	Optional
Max Use:	999
Purpose:	To specify allowances, charges, or services
Syntax Notes:	<ol style="list-style-type: none"> 1 If ITA02 is present, then at least one of ITA03 ITA13 or ITA14 is required. 2 If ITA08 is present, then ITA09 is required. 3 If either ITA10 or ITA11 is present, then the other is required. 4 If ITA15 is present, then ITA02 is required. 5 If ITA17 is present, then ITA12 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 ITA09 is the allowance or charge percent. 2 ITA10 is the quantity basis when the allowance or charge quantity is different from the purchase order or invoice quantity. 3 ITA12 is the quantity of free goods.
Comments:	<ol style="list-style-type: none"> 1 If ITA01 equals "A" - allowance or "C" - charge, then at least one of ITA06, ITA07, or ITA08 must be present. 2 ITA02 identifies the source of the code value in ITA03 or ITA15. 3 If ITA07 is present with either ITA06 or ITA08, then ITA07 takes precedence. 4 ITA13 is used to clarify the allowance, charge, or service. 5 ITA15 specifies the individual code list of the agency specified in ITA02. 6 ITA16 describes the relationship of ITA06, ITA07 or ITA09 to an associated segment.
Notes:	[10] ITA SEGMENT - Time-Definite Service Level SEGMENT CONDITION: Only used for DFTS shipments where Time-Definite Service Level requirements are met. If used, the N722 - Equipment Type code must equal 'QQ'

Data Element Summary

Ref.	Data	Name	Attributes
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	ITA01	248 Allowance or Charge Indicator	M ID 1/1
		Code which indicates an allowance or charge for the service specified	
		[10-01] Time-Definite Service Level Indicator	
		S Service	
		[10-01] Service	
X	ITA02	559 Agency Qualifier Code	X ID 2/2
		Refer to 004010 Data Element Dictionary for acceptable code values.	
>>	ITA03	560 Special Services Code	X ID 2/10
		Code identifying the special service	
		[10-03] Time-Definite Service Code	
		D1 One - Day Service	
		[10-03] One - Day Service	
		D2 Two - Day Service	
		[10-03] Two - Day Service	
		DA Delivery Acknowledgment	
		[10-03] Delivery Acknowledgment	
		Use 'DA' to denote Three - Day Service	
X	ITA04	331 Allowance or Charge Method of Handling Code	M ID 2/2
		Refer to 004010 Data Element Dictionary for acceptable code values.	
X	ITA05	341 Allowance or Charge Number	O AN 1/16
X	ITA06	359 Allowance or Charge Rate	O R 1/15
X	ITA07	360 Allowance or Charge Total Amount	O N2 1/15
X	ITA08	378 Allowance/Charge Percent Qualifier	O ID 1/1
		Refer to 004010 Data Element Dictionary for acceptable code values.	
X	ITA09	332 Percent	X R 1/6

X	ITA10	380	Quantity	X R 1/15
X	ITA11	355	Unit or Basis for Measurement Code	X ID 2/2
			Refer to 004010 Data Element Dictionary for acceptable code values.	
X	ITA12	380	Quantity	X R 1/15
X	ITA13	352	Description	X AN 1/80
X	ITA14	150	Special Charge or Allowance Code	X ID 3/3
			Refer to 004010 Data Element Dictionary for acceptable code values.	
X	ITA15	822	Source Subqualifier	O AN 1/15
X	ITA16	662	Relationship Code	O ID 1/1
			Refer to 004010 Data Element Dictionary for acceptable code values.	
X	ITA17	355	Unit or Basis for Measurement Code	O ID 2/2
			Refer to 004010 Data Element Dictionary for acceptable code values.	

Segment: **L9 Charge Detail**
Position: 110
Loop: 0500 Optional (Must Use)
Level: Heading
Usage: Optional
Max Use: 999
Purpose: To specify special charge code and the associated monetary amount
Syntax Notes:
Semantic Notes: 1 L902 is the transportation charge for a special service performed, expressed in the standard monetary denomination for the currency specified.
Comments:
Notes: [11] L9 SEGMENT - Accessorial/Special Handling Charge Detail
 SEGMENT CONDITION: If available, data must be sent

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	L901	150	Special Charge or Allowance Code Code identifying type of special charge or allowance [11-01] Accessorial/Special Handling Service Code Use this segment to report the type and cost of each accessorial/special handling service EXCEPT the fuel surcharge (fuel surcharge appears in the L307). Repeat the segment as needed for each accessorial/special handling service. SOURCE: Reference Section 6.0 of this IC for code values using applicable Accessorial/Special Handling Charge Detail table. Common code values associated with multiple definitions prevents documentation of the entire sub-set. Sample Values: AAS,ARG,BLK,CCS	M ID 3/3
M	L902	782	Monetary Amount Monetary amount Refer to 004010 Data Element Dictionary for acceptable code values. [11-02] Accessorial/Special Handling Service Amount The cost of the accessorial service that will be provided for the shipment. Sample Values: AAS,ARG,BLK,CCS	M R 1/18

Segment: **L3** Total Weight and Charges
Position: 120
Loop: 0500 Optional (Must Use)
Level: Heading
Usage: Optional (Must Use)
Max Use: 999
Purpose: To specify the total shipment in terms of weight, volume, rates, charges, advances, and prepaid amounts applicable to one or more line items

- Syntax Notes:**
- 1 If either L301 or L302 is present, then the other is required.
 - 2 If either L303 or L304 is present, then the other is required.
 - 3 If either L309 or L310 is present, then the other is required.
 - 4 If L312 is present, then L301 is required.
 - 5 If either L314 or L315 is present, then the other is required.

Semantic Notes: 1 L305 is the total charges.

Comments:

Notes: [12] L3 SEGMENT - Shipment Weight/Rate Totals

Data Element Summary

Ref.	Data Element	Name	Attributes
>>	L301	81 Weight	X R 1/10
		Numeric value of weight	
		[12-01] Gross Weight	
>>	L302	187 Weight Qualifier	X ID 1/2
		Code defining the type of weight	
		[12-02] Weight Qualifier	
		Use code value 'G' only if requesting movement for a stuffed container or loaded trailer.	
		FR Freight Weight	
		[12-02] Freight Weight	
		G Gross Weight	
		[12-02] Gross Weight	
>>	L303	60 Freight Rate	X R 1/9
		Rate that applies to the specific commodity	
		[12-03] Rate	
		Enter the coordinator's rate for the shipment, based on either cost per hundredweight or cost per mile. The final rate invoiced may be revised as the coordinator performs further shipment optimization and consolidation.	
>>	L304	122 Rate/Value Qualifier	X ID 2/2
		Code qualifying how to extend charges or interpret value	
		[12-04] Rate Qualifier	
		CW Per Hundred Weight	
		Describes a transportation rate that applies to every one hundred pounds of total weight of an individual shipment	
		[12-04] Per Hundred Weight	
		LB Per Pound	
		[12-04] Per Pound	
		PA Per Container	
		[12-04] Per Container	
		PC Per Car	
		[12-04] Per Car	
		Use 'PC' to denote Per Rail Car Used	
		PM Per Mile	
		[12-04] Per Mile	

			PV	Per Vehicle	
				[12-04] Per Vehicle	
				Use 'PV' to denote Per Vehicle Moved	
>>	L305	58	Charge		O N2 1/12
			For a line item: freight or special charge; for the total invoice: the total charges -- expressed in the standard monetary denomination for the currency specified		
			[12-05] Estimated Shipment Charge		
			The total estimated charge for the shipment, including cost per mile/hundredweight, mileage, accessorial service charges, and fuel surcharge. The final cost invoiced may be revised as the coordinator performs further shipment optimization and consolidation.		
	L306	191	Advances		O N2 1/9
			Incidental charges occurring during transportation which are not generally considered to be freight charges (examples - stop charges, diversion and reconsignment, icing) expressed in the standard monetary denomination for the currency specified		
			[12-06] Accessorial Service Charge Total		
			The total cost of accessorial services to be provided (should equal the sum of each occurrence of the previous L902 data element). Do not use to report fuel surcharge -- use L307.		
			ELEMENT CONDITION: If available, data must be sent		
	L307	117	Prepaid Amount		O N2 1/9
			Money paid at point of origin (usually by shipper) expressed in the standard monetary denomination for the currency specified		
			[12-07] Fuel Surcharge		
			ELEMENT CONDITION: If applicable, report fuel surcharge for shipment here. Include as part of total shipment charge in L305.		
X	L308	150	Special Charge or Allowance Code		O ID 3/3
			Refer to 004010 Data Element Dictionary for acceptable code values.		
X	L309	183	Volume		X R 1/8
X	L310	184	Volume Unit Qualifier		X ID 1/1
			Refer to 004010 Data Element Dictionary for acceptable code values.		
>>	L311	80	Lading Quantity		O N0 1/7
			Number of units (pieces) of the lading commodity		
			[12-11] Lading Quantity		
			The number of shipment units in the 219A offer.		
X	L312	188	Weight Unit Code		O ID 1/1
			Refer to 004010 Data Element Dictionary for acceptable code values.		
X	L313	171	Tariff Number		O AN 1/7
X	L314	74	Declared Value		X N2 2/12
X	L315	122	Rate/Value Qualifier		X ID 2/2
			Refer to 004010 Data Element Dictionary for acceptable code values.		

Segment: N7 Equipment Details
Position: 130
Loop: 1000 Optional
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To identify the equipment
Syntax Notes: 1 If either N703 or N704 is present, then the other is required.
 2 If either N705 or N716 is present, then the other is required.
 3 If either N708 or N709 is present, then the other is required.
Semantic Notes: 1 N712 is the owner of the equipment.
 2 N723 is the operator or carrier of the rights of the equipment.
Comments: 1 N701 is mandatory for rail transactions.
 2 N720 and N721 are expressed in inches.
Notes: [13] N7 SEGMENT - Special Equipment Request
 LOOP CONDITION: The 3rd Party Logistics Coordinator is to provide equipment details if known when responding to a 219 service request.

Data Element Summary

Ref.	Data Element	Name	Attributes
>>	N701	206 Equipment Initial	O AN 1/4
		Prefix or alphabetic part of an equipment unit's identifying number	
		[13-01] Equipment Initial	
		The equipment initials. If directly loading a pooled trailer, this field value should match that provided by the shipper in the X12 219 transportation request, unless other arrangements have been made between the shipper and the coordinator.	
		SOURCE: IATA Unit Load Devices Manual available from International Air Transport Association	
M	N702	207 Equipment Number	M AN 1/10
		Sequencing or serial part of an equipment unit's identifying number (pure numeric form for equipment number is preferred)	
		[13-02] Equipment Number	
		The serial number of the equipment to be used. For direct loads from a trailer pool, enter the equipment number provided by the shipper.	
	N703	81 Weight	X R 1/10
		Numeric value of weight	
		[13-03] Equipment Weight Capacity	
		Express in 1000 lb units. Entry may contain a decimal; if not, decimal is assumed at right-most point of the field.	
		ELEMENT CONDITION: If available, data must be sent	
	N704	187 Weight Qualifier	X ID 1/2
		Code defining the type of weight	
		[13-04] Weight Qualifier	
		ELEMENT CONDITION: Required if N703 is used.	
		N Actual Net Weight	
		[13-04] Actual Net Weight	
X	N705	167 Tare Weight	X N0 3/8
X	N706	232 Weight Allowance	O N0 2/6
X	N707	205 Dunnage	O N0 1/6
	N708	183 Volume	X R 1/8
		Value of volumetric measure	
		[13-08] Equipment Cube	
		ELEMENT CONDITION: If available, data must be sent	

	N709	184	Volume Unit Qualifier	X	ID 1/1
			Code identifying the volume unit		
			[13-09] Equipment Cube Qualifier		
			ELEMENT CONDITION: Required if N708 is used.		
			E Cubic Feet		
			[13-09] Cubic Feet		
X	N710	102	Ownership Code	O	ID 1/1
			Refer to 004010 Data Element Dictionary for acceptable code values.		
X	N711	40	Equipment Description Code	O	ID 2/2
			Refer to 004010 Data Element Dictionary for acceptable code values.		
X	N712	140	Standard Carrier Alpha Code	O	ID 2/4
	N713	319	Temperature Control	O	AN 3/6
			Free-form abbreviation of temperature range or flash-point temperature		
			[13-13] Temperature Control		
			Use to specify temperature setting for reefer shipments.		
			ELEMENT CONDITION: If necessary, indicate minimum and maximum temperature. Report all temperatures in Fahrenheit.		
X	N714	219	Position	O	AN 1/3
	N715	567	Equipment Length	O	N0 4/5
			Length (in feet and inches) of equipment ordered or used to transport shipment (The format is FFFII where FFF is feet and II is inches; the range for II is 00 through 11)		
			[13-15] Equipment Length		
			ELEMENT CONDITION: If available, data must be sent		
X	N716	571	Tare Qualifier Code	X	ID 1/1
			Refer to 004010 Data Element Dictionary for acceptable code values.		
X	N717	188	Weight Unit Code	O	ID 1/1
			Refer to 004010 Data Element Dictionary for acceptable code values.		
X	N718	761	Equipment Number Check Digit	O	N0 1/1
X	N719	56	Type of Service Code	O	ID 2/2
			Refer to 004010 Data Element Dictionary for acceptable code values.		
X	N720	65	Height	O	R 1/8
X	N721	189	Width	O	R 1/8
>>	N722	24	Equipment Type	O	ID 4/4
			Code identifying equipment type		
			[13-22] Equipment Type		
			Code to identify the equipment type. Use DoD equipment codes. Left justify the code and fill to the right with the lower case 'x' until a length of four characters is attained.		
			8X New Code Added by IC		
			[13-22] Pipeline		
			A10 New Code Added by IC		
			[13-22] 410 Dromedary, 102" L x 75 1/2" H x 92" W, 410 cubic feet		
			A11 New Code Added by IC		
			[13-22] Van, air ride, 45 ft or 48 ft, padded, equipped with electric hydraulic powered crane loading unloading system or hydraulic powered		
			A16 New Code Added by IC		
			[13-22] Special Dromedary with MRO		
			A20 New Code Added by IC		
			[13-22] Motor vehicle transport trailer		

A30	New Code Added by IC [13-22] Removable gooseneck
A40	New Code Added by IC [13-22] Flat bed trailer, hot shot, 40 ft and over
A5	New Code Added by IC [13-22] Tractor, air ride
A50	New Code Added by IC [13-22] Van, closed, padded/logistics type, freight only, w/air ride suspension, 40 ft and over
A6	New Code Added by IC [13-22] Tractor, other than air ride
A7	New Code Added by IC [13-22] Flat bed, 30 feet and less, hooked in tandem as one unit
A8	New Code Added by IC [13-22] Van, air ride, w/temperature and humidity control
A9	New Code Added by IC [13-22] Van, closed, padded, w/air ride suspension 2nd & 3rd proviso only
AA1	New Code Added by IC [13-22] Van, closed air ride, 30 ft and less
AA2	New Code Added by IC [13-22] Van, closed air ride, 31-40 ft
AA3	New Code Added by IC [13-22] Van, closed air ride, over 40 ft
AB0	New Code Added by IC [13-22] Lowboy, level deck, 10 axles and over
AB2	New Code Added by IC [13-22] Lowboy, level deck, 2 axles
AB3	New Code Added by IC [13-22] Lowboy, level deck, 3 axles
AB4	New Code Added by IC [13-22] Lowboy, level deck, 4 axles
AB5	New Code Added by IC [13-22] Lowboy, level deck, 5 axles
AB6	New Code Added by IC [13-22] Lowboy, double drop, air ride, w/outriggers, 3 axles
AB7	New Code Added by IC [13-22] Lowboy, level deck, 7 axles
AB9	New Code Added by IC [13-22] Lowboy, level deck, 9 axles
AC2	New Code Added by IC [13-22] Expandable low bed trailer, 2 axles
AC3	New Code Added by IC [13-22] Expandable low bed trailer, 3 axles
AC4	New Code Added by IC [13-22] Expandable low bed trailer, 4 axles
AD	New Code Added by IC [13-22] Regular Dromedary

AD6	New Code Added by IC [13-22] Dromedary with Mechanical Restraining Device (MRD)
AE0	New Code Added by IC [13-22] Lowboy, double drop, 10 axles and over
AE2	New Code Added by IC [13-22] Lowboy, double drop, 2 axles
AE3	New Code Added by IC [13-22] Lowboy, double drop, 3 axles
AE4	New Code Added by IC [13-22] Lowboy, double drop, 4 axles
AE5	New Code Added by IC [13-22] Lowboy, double drop, 5 axles
AE6	New Code Added by IC [13-22] Lowboy, double drop, w/outriggers, 3 axles
AE7	New Code Added by IC [13-22] Lowboy, double drop, 7 axles
AE9	New Code Added by IC [13-22] Lowboy, double drop, 9 axles
AF1	New Code Added by IC [13-22] Flat bed, 30 ft and less
AF2	New Code Added by IC [13-22] Flat bed, 31-40 ft
AF3	New Code Added by IC [13-22] Flat bed, over 40 ft
AF4	New Code Added by IC [13-22] Flat bed w/Conestoga trailers 30 ft and less
AF5	New Code Added by IC [13-22] Flat bed w/Conestoga trailers 31-40 ft
AF6	New Code Added by IC [13-22] Flat bed w/Conestoga trailers over 40 ft
AG1	New Code Added by IC [13-22] Van, open, 30 ft and less
AG2	New Code Added by IC [13-22] Van, open, 31-40 ft
AG3	New Code Added by IC [13-22] Van, open, over 40 ft
AG4	New Code Added by IC [13-22] Tautliner Van w/Tarps, 30' or less
AG5	New Code Added by IC [13-22] Tautliner Van w/Tarps, 31' to 40'
AG6	New Code Added by IC [13-22] Tautliner Van w/Tarps, over 40'
AH2	New Code Added by IC [13-22] Drop frame trailer, drop/step deck, 2 axles
AH3	New Code Added by IC [13-22] Drop frame trailer, drop/step deck, 3 axles
AI2	New Code Added by IC [13-22] Drop frame trailer, drop/step deck, air ride, 2 axles

AI3	New Code Added by IC [13-22] Drop frame trailer, drop/step deck, air ride, 3 axles
AJ0	New Code Added by IC [13-22] Lowboy, level deck, air ride, 10 axles and over
AJ2	New Code Added by IC [13-22] Lowboy, level deck, air ride, 2 axles
AJ3	New Code Added by IC [13-22] Lowboy, level deck, air ride, 3 axles
AJ4	New Code Added by IC [13-22] Lowboy, level deck, air ride, 4 axles
AJ5	New Code Added by IC [13-22] Lowboy, level deck, air ride, 5 axles
AJ6	New Code Added by IC [13-22] Lowboy, level deck, air ride, w/outriggers, 3 axles
AJ7	New Code Added by IC [13-22] Lowboy, level deck, air ride, 7 axles
AJ9	New Code Added by IC [13-22] Lowboy, level deck, air ride, 9 axles
AK	New Code Added by IC [13-22] Van, refrigerated, perishable food
AL2	New Code Added by IC [13-22] Extendable flat bed trailer, 2 axles
AL3	New Code Added by IC [13-22] Extendable flat bed trailer, 3 axles
AL4	New Code Added by IC [13-22] Extendable flat bed trailer, 4 axles
AM0	New Code Added by IC [13-22] Lowboy, double drop, air ride, 10 axles and over
AM2	New Code Added by IC [13-22] Lowboy, double drop, air ride, 2 axles
AM3	New Code Added by IC [13-22] Lowboy, double drop, air ride, 3 axles
AM4	New Code Added by IC [13-22] Lowboy, double drop, air ride, 4 axles
AM5	New Code Added by IC [13-22] Lowboy, double drop, air ride, 5 axles
AM6	New Code Added by IC [13-22] Lowboy, double drop, air ride, w/outriggers, 3 axles
AM7	New Code Added by IC [13-22] Lowboy, double drop, air ride, 7 axles
AM9	New Code Added by IC [13-22] Lowboy, double drop, air ride, 9 axles
AN	New Code Added by IC [13-22] Adjustable tilt bed trailer
AO	New Code Added by IC [13-22] Driveaway/Truckaway
AO1	New Code Added by IC [13-22] Straight truck, enclosed van, air ride, 12 ft, 5,000 lb, maximum cargo capacity

AO2	New Code Added by IC [13-22] Straight truck, enclosed van, air ride, 20 ft, 13,000 lb, maximum cargo capacity
AO3	New Code Added by IC [13-22] Straight truck, enclosed van, air ride, 12 ft, 5,000 lb, maximum cargo capacity
AO4	New Code Added by IC [13-22] Straight truck, enclosed van, air ride, 20 ft, 13,000 lb, maximum cargo capacity
AO5	New Code Added by IC [13-22] Straight truck, enclosed van, 20 ft, 13,000 lb, maximum cargo capacity, padded/logistics type, w/ air ride suspension
AO6	New Code Added by IC [13-22] Pickup truck, with cap, 18 ft. long, 500 lbs maximum cargo capacity
AO7	New Code Added by IC [13-22] Econo van, 17 ft long, 2,000 lbs maximum cargo capacity
AO8	New Code Added by IC [13-22] Dump trailer, 28 ft long, 2 axle, hydraulic powered lift
AP	New Code Added by IC [13-22] Aft steering unit
AR	New Code Added by IC [13-22] Van, refrigerated, other
AS	New Code Added by IC [13-22] Livestock transporter
AT1	New Code Added by IC [13-22] Tank, 5001-8000 gallons
AT2	New Code Added by IC [13-22] Tank, over 8000 gallons
AU	New Code Added by IC [13-22] Container, shipper owned, environmental, temperature and humidity controlled.
AV1	New Code Added by IC [13-22] Van, closed, 30 ft and less
AV2	New Code Added by IC [13-22] Van, closed, 31-40 ft
AV3	New Code Added by IC [13-22] Van, closed, over 40 ft
AV4	New Code Added by IC [13-22] Van, closed, Rollerbed, 40 ft, fixed rollers
AV5	New Code Added by IC [13-22] Van, closed, Rollerbed, 40 ft, retractable rollers
AV6	New Code Added by IC [13-22] Van, closed, Rollerbed, 45 ft and over, fixed rollers
AV7	New Code Added by IC [13-22] Van, closed, Rollerbed, 45 ft and over, retractable rollers
AV8	New Code Added by IC [13-22] Van, closed, 45 to 48 ft, 12' 4" high

AX	New Code Added by IC [13-22] Flat bed, all lengths (twist lock)
AY1	New Code Added by IC [13-22] Van, closed, 30 ft and less, double type single unit
AY2	New Code Added by IC [13-22] Van, closed, 30 ft and less, hooked in tandem as one unit
AZ1	New Code Added by IC [13-22] Flat bed, air ride, 30 ft and less
AZ2	New Code Added by IC [13-22] Flat bed, air ride, 31-40 ft
AZ3	New Code Added by IC [13-22] Flat bed, air ride, over 40 ft
EE	New Code Added by IC [13-22] Bus
KA	New Code Added by IC [13-22] Box, automobile
KB1	New Code Added by IC [13-22] Flat, bilevel, not enclosed
KB2	New Code Added by IC [13-22] Flat, bilevel, enclosed
KC	New Code Added by IC [13-22] Box, nuclear waste, DODX w/racks permanently affixed
KD	New Code Added by IC [13-22] Gondola, drop ends
KE	New Code Added by IC [13-22] Box, end door
KF1	New Code Added by IC [13-22] Flat, any other type, not over 70'
KF2	New Code Added by IC [13-22] Flat, any other type, over 70' but not over 90'
KG1	New Code Added by IC [13-22] Gondola, any other type, 52' hi capacity
KG2	New Code Added by IC [13-22] Gondola, any other type, 65' hi capacity
KH1	New Code Added by IC [13-22] Hopper open-top, 80 tons and less
KH2	New Code Added by IC [13-22] Hopper open-top, 100 tons, 2000 cubic feet
KH3	New Code Added by IC [13-22] Hopper, closed-top, 70 tons, 2000 cubic feet
KH4	New Code Added by IC [13-22] Hopper, closed top, 100 tons, 2929 cubic feet
KH5	New Code Added by IC [13-22] Hopper, closed-top, 100 tons, 4000 cubic feet
KH6	New Code Added by IC [13-22] Hopper, closed-top, 100 tons, 4600 cubic feet

KK1	New Code Added by IC [13-22] Refrigerator, perishable foods, not over 53' mechanical
KK2	New Code Added by IC [13-22] Refrigerator, perishable foods, over 53', but not over 61 mechanical
KL1	New Code Added by IC [13-22] Flat, trilevel, not enclosed
KL2	New Code Added by IC [13-22] Flat, trilevel, enclosed
KO1	New Code Added by IC [13-22] Box, any other type, not over 52' 6"
KO2	New Code Added by IC [13-22] Box, any other type, over 52' 6", but not over 60' 9"
KO3	New Code Added by IC [13-22] Box, any other type, over 60' 9"
KP	New Code Added by IC [13-22] Box, damage prevention type
KR1	New Code Added by IC [13-22] Refrigerator, any other type, not over 53' mechanical
KR2	New Code Added by IC [13-22] Refrigerator, any other type, over 53', but not over 65' mechanical
KS	New Code Added by IC [13-22] Stock
KT1	New Code Added by IC [13-22] Tank, 10,000 gallons
KT2	New Code Added by IC [13-22] Tank, 20,000 gallons
KT3	New Code Added by IC [13-22] Tank, 30,000 gallons
KU	New Code Added by IC [13-22] Caboose, DODX armed guard
KW1	New Code Added by IC [13-22] TOFC car
KW2	New Code Added by IC [13-22] COFC car
KX	New Code Added by IC [13-22] Box, missile, DODX w/refrigeration
KY	New Code Added by IC [13-22] Flat, heavy duty
KZ1	New Code Added by IC [13-22] Flat, DODX, not over 60'
KZ2	New Code Added by IC [13-22] Flat, DODX, over 60'
KZ3	New Code Added by IC [13-22] Locomotive under own power, on own wheels

KZ4	New Code Added by IC [13-22] Locomotive not under own power, on own wheels
KZ5	New Code Added by IC [13-22] Locomotive not under own power, not on own wheels
MF	New Code Added by IC [13-22] Freight Forwarder (Surface)
QA1	New Code Added by IC [13-22] Non milvan, 20 feet and less
QA2	New Code Added by IC [13-22] Non milvan, 24 feet
QA3	New Code Added by IC [13-22] Non milvan, 27 feet
QA4	New Code Added by IC [13-22] Non milvan, 35 feet
QA5	New Code Added by IC [13-22] Non milvan, 40 feet
QA6	New Code Added by IC [13-22] Non milvan, 45 feet and over
QM	New Code Added by IC [13-22] MILVAN
QQ	New Code Added by IC [13-22] Freight (Other than Freight Forwarder)
QU	New Code Added by IC [13-22] Taxi
SS	New Code Added by IC [13-22] Charter
TT	New Code Added by IC [13-22] Freight Forwarder
WA	New Code Added by IC [13-22] Steamship
WE	New Code Added by IC [13-22] Covered barge
WG	New Code Added by IC [13-22] Cylinder tank barge
WI	New Code Added by IC [13-22] Flush deck oil barge
WK	New Code Added by IC [13-22] Liquid covered barge
WM	New Code Added by IC [13-22] Open barge
WP	New Code Added by IC [13-22] Special auto barge

X	N723	140	Standard Carrier Alpha Code	O	ID 2/4
X	N724	301	Car Type Code	O	ID 1/4

Segment: **S5** Stop-off Details
Position: 010
Loop: 2000 Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify stop-off detail reference numbers and stop reason
Syntax Notes:

- 1 If either S503 or S504 is present, then the other is required.
- 2 If either S505 or S506 is present, then the other is required.
- 3 If either S507 or S508 is present, then the other is required.

Semantic Notes:

- 1 S509 is the stop reason description.

Comments:
Notes:

[14] S5 SEGMENT - Pick-up Location
 LOOP CONDITION: Use this S5 loop to describe shipment pickup information and pickup location. Not used when transaction purpose code is '01' (cancellation). Currently used only for shippers using GFM
 [20] S5 SEGMENT - Delivery Location Loop
 LOOP CONDITION: This S5 loop describes shipment delivery information and delivery location. It may be repeated if shipment units are delivered to multiple locations. Currently used only for shippers using GFM.

Data Element Summary

Ref.	Data	Name	Attributes
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	S501	165 Stop Sequence Number	M N0 1/3
		Identifying number for the specific stop and the sequence in which the stop is to be performed	
		[14-01] Stop Sequence Number Enter value one (1) and increment by one for each successive S5 segment.	
		[20-01] Stop Sequence Number Per usage note in previous S5 segment, enter value two (2) and increment by one for each successive S5 segment.	
M	S502	163 Stop Reason Code	M ID 2/2
		Code specifying the reason for the stop	
		[14-02] Stop Reason Code	
		[20-02] Stop Reason Code	
		LD Load	
		[14-02] Load	
		UL Unload	
		[20-02] Unload	
X	S503	81 Weight	X R 1/10
X	S504	188 Weight Unit Code	X ID 1/1
		Refer to 004010 Data Element Dictionary for acceptable code values.	
X	S505	382 Number of Units Shipped	X R 1/10
X	S506	355 Unit or Basis for Measurement Code	X ID 2/2
		Refer to 004010 Data Element Dictionary for acceptable code values.	
X	S507	183 Volume	X R 1/8
X	S508	184 Volume Unit Qualifier	X ID 1/1
		Refer to 004010 Data Element Dictionary for acceptable code values.	
X	S509	352 Description	O AN 1/80
X	S510	154 Standard Point Location Code	O ID 6/9
X	S511	190 Accomplish Code	O ID 1/1
		Refer to 004010 Data Element Dictionary for acceptable code values.	

Segment: **G62** Date/Time
Position: 020
Loop: 2000 Optional
Level: Detail
Usage: Optional (Must Use)
Max Use: 2
Purpose: To specify pertinent dates and times
Syntax Notes:

- 1 At least one of G6201 or G6203 is required.
- 2 If either G6201 or G6202 is present, then the other is required.
- 3 If either G6203 or G6204 is present, then the other is required.

Semantic Notes:
Comments:

Notes: [15] G62 SEGMENT - Scheduled Pick-up Date
[21] G62 SEGMENT - Mandatory Delivery Date

Data Element Summary

Ref.	Data	Name	Attributes
<u>Des.</u>	<u>Element</u>	<u>Date Qualifier</u>	<u>ID</u>
>>	G6201	432	X ID 2/2
		Code specifying type of date	
		[15-01] Scheduled Pick-up Date Qualifier	
		[21-01] Mandatory Delivery Date Qualifier	
		10 Requested Ship Date/Pick-up Date	
		[15-01] Requested Ship Date/Pick-up Date	
		Use '10' to denote Requested Pick-up Date	
		67 Delivered By This Date	
		[21-01] Delivered By This Date	
		Use '67' to denote Mandatory Delivery Date	
>>	G6202	373	X DT 8/8
		Date	
		Date expressed as CCYYMMDD	
		[15-02] Scheduled Pick-up Date	
		[21-02] Mandatory Delivery Date	
	G6203	176	X ID 1/2
		Time Qualifier	
		Code specifying the reported time	
		[15-03] Time Qualifier	
		ELEMENT CONDITION: If available, data must be sent	
		[21-03] Time Qualifier	
		ELEMENT CONDITION: Required if G6204 is used.	
		G Earliest Requested Deliver Time	
		[21-03] Earliest Requested Deliver Time	
		L Latest Requested Delivery Time	
		[21-03] Latest Requested Delivery Time	
		U Scheduled Pick Up Time	
		[15-03] Scheduled Pick Up Time	
		X Scheduled Delivery Time	
		[21-03] Scheduled Delivery Time	

G6204 **337** **Time** **X** **TM 4/8**

Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

[15-04] Scheduled Pick-up Time
Format is 'HHMM'.
ELEMENT CONDITION: If available, data must be sent
[21-04] Mandatory Delivery Date Pickup Time
Format is 'HHMM'.
ELEMENT CONDITION: If available, data must be sent

G6205 **623** **Time Code** **O** **ID 2/2**

Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow

[15-05] Time Code
ELEMENT CONDITION: Required if G6204 is present.
SOURCE: ISO 8601 available from American National Standards Institute
[21-05] Time Code
ELEMENT CONDITION: Required if G6204 is used.
SOURCE: ISO 8601 available from American National Standards Institute

LT	Local Time
	[15-05] Local Time
	[21-05] Local Time
UT	Universal Time Coordinate
	[15-05] Universal Time Coordinate
	[21-05] Universal Time Coordinate

Segment: **N1** Name
Position: 050
Loop: 2100 Optional (Must Use)
Level: Detail
Usage: Optional (Must Use)
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes: 1 At least one of N102 or N103 is required.
 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:
Comments: 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
 2 N105 and N106 further define the type of entity in N101.
Notes: [16] N1 SEGMENT - Origin (SF) Data
 [22] N1 SEGMENT - Ship-to (ST)

Data Element Summary

Ref.	Data Element	Name	Attributes
M	N101	98 Entity Identifier Code	M ID 2/3
		Code identifying an organizational entity, a physical location, property or an individual	
		[16-01] Origin Name Qualifier	
		[22-01] Ship-to (ST) Name Qualifier	
		SF Ship From	
		[16-01] Ship From	
		ST Ship To	
		[22-01] Ship To	
>>	N102	93 Name	X AN 1/60
		Free-form name	
		[16-02] Origin Name	
		ELEMENT CONDITION: If available, data must be sent	
		[22-02] Ship-to (ST) Name	
>>	N103	66 Identification Code Qualifier	X ID 1/2
		Code designating the system/method of code structure used for Identification Code (67)	
		[16-03] DoDAAC/CAGE Qualifier	
		[22-03] DoDAAC/CAGE Qualifier	
		10 Department of Defense Activity Address Code (DODAAC)	
		[16-03] Department of Defense Activity Address Code (DODAAC)	
		[22-03] Department of Defense Activity Address Code (DODAAC)	
		33 Commercial and Government Entity (CAGE)	
		[16-03] Commercial and Government Entity (CAGE)	
		[22-03] Commercial and Government Entity (CAGE)	
>>	N104	67 Identification Code	X AN 2/80
		Code identifying a party or other code	
		[16-04] Origin DoDAAC/CAGE	
		If DoDAAC/CAGE is unavailable, then N104 = 'XXXXXX' and the complete clear text name and address of the origin is required in the associated N1 loop.	
		[22-04] Ship-to (ST) Identification Code	
		If DoDAAC/CAGE is unavailable, then N104 = 'XXXXXX' and the complete clear text name and address of the ship-to is required in the associated N1 loop.	
X	N105	706 Entity Relationship Code	O ID 2/2
		Refer to 004010 Data Element Dictionary for acceptable code values.	

X

N106

98

Entity Identifier Code

O ID 2/3

Refer to 004010 Data Element Dictionary for acceptable code values.

Segment: N2 Additional Name Information
Position: 060
Loop: 2100 Optional (Must Use)
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify additional names or those longer than 35 characters in length
Syntax Notes:
Semantic Notes:
Comments:
Notes:

[17] N2 SEGMENT - Additional Origin Name
 SEGMENT CONDITION: Use if additional origin name applies.
 [23] N2 SEGMENT - Additional Ship-to (ST) Name
 SEGMENT CONDITION: Use when additional Ship-to (ST) Name applies.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	N201	93	Name	M AN 1/60
			Free-form name	
			[17-01] Additional Origin Name	
			[23-01] Additional Ship-to (ST) Name	
X	N202	93	Name	O AN 1/60

Segment: N3 Address Information
Position: 070
Loop: 2100 Optional (Must Use)
Level: Detail
Usage: Optional (Must Use)
Max Use: 2
Purpose: To specify the location of the named party
Syntax Notes:
Semantic Notes:
Comments:
Notes: [18] N3 SEGMENT - Origin (SF) Street Address
 [24] N3 SEGMENT - Ship-to (ST) Street Address

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	N301	166	Address Information Address information [18-01] Origin Street Address [24-01] Ship-to (ST) Street Address	M AN 1/55
X	N302	166	Address Information	O AN 1/55

Segment: **N4 Geographic Location**
Position: 080
Loop: 2100 Optional (Must Use)
Level: Detail
Usage: Optional (Must Use)
Max Use: 1
Purpose: To specify the geographic place of the named party
Syntax Notes: 1 If N406 is present, then N405 is required.
Semantic Notes:
Comments: 1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2 N402 is required only if city name (N401) is in the U.S. or Canada.
Notes: [19] N4 SEGMENT - Origin (SF) City Name and State/ZIP Codes
[25] N4 SEGMENT - Ship-to (ST) City Name and State/ZIP Codes

Data Element Summary

Ref.	Data Element	Name	Attributes
>>	N401	19 City Name	O AN 2/30
		Free-form text for city name	
		[19-01] Origin City Name	
		[25-01] Ship-to (ST) City Name	
>>	N402	156 State or Province Code	O ID 2/2
		Code (Standard State/Province) as defined by appropriate government agency	
		[19-02] Origin State Code	
		SOURCE: National Zip Code and Post Office Directory available from U.S. Postal Service National Information Data Center	
		[25-02] Ship-to (ST) State Code	
		SOURCE: National Zip Code and Post Office Directory available from U.S. Postal Service National Information Data Center	
>>	N403	116 Postal Code	O ID 3/15
		Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	
		[19-03] Origin ZIP Code	
		SOURCE: National ZIP Code and Post Office Directory, Publication 65 available from U.S Postal Service; The USPS Domestic Mail Manual available from New Orders Superintendent of Documents	
		[25-03] Ship-to (ST) ZIP Code	
		SOURCE: National ZIP Code and Post Office Directory, Publication 65 available from U.S Postal Service; The USPS Domestic Mail Manual available from New Orders Superintendent of Documents	
X	N404	26 Country Code	O ID 2/3
X	N405	309 Location Qualifier	X ID 1/2
		Refer to 004010 Data Element Dictionary for acceptable code values.	
X	N406	310 Location Identifier	O AN 1/30

Segment: **SE** Transaction Set Trailer
Position: 220
Loop:
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes:

Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

Notes: [26] SE SEGMENT - 3rd Party Logistics Transportation Service Response Trailer

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
M	SE01	96	Number of Included Segments	M N0 1/10
			Total number of segments included in a transaction set including ST and SE segments	
			[26-01] Number of Included Segments	
M	SE02	329	Transaction Set Control Number	M AN 4/9
			Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	
			[26-02] Transaction Set Control Number	
			This data element ends the transaction set and should match the number that appears in the ST02 that begins the transaction set.	

Section 4.0

IC ELEMENT MATRIX

OVERVIEW

In order to implement an EDI transaction set, trading partners need to identify the application data elements they plan to exchange, identify where they plan to carry the data within the structure of the EDI transaction (a task commonly called mapping), identify any additional X12 data such as qualifier codes, and publish that information in an implementation convention (IC). This section contains an IC element matrix that lists that information.

PURPOSE

Using the IC element matrix will expedite mapping of an application database into a commercial EDI translation package. The application notes section below describes the application specific to this IC element matrix.

HOW TO READ THE IC ELEMENT MATRIX

To read the matrix, trading partners need to understand matrix record types, two categories of matrix information, the matrix layout, and the sort order of the matrix.

Record Types

The matrix contains two types of records: segment header records and element records.

- Segment header records begin the description of a segment. Each segment header record starts the description of a discrete occurrence of an X12 segment. The element records (see below) that follow a segment header record cannot be co-mingled with elements from other segments, including those segments with matching IDs.
- Element records identify an individual data element that occurs within a segment. Each element satisfies either an application requirement or X12 standard syntax. If one element in a segment is passed, all elements in the segment need to be passed in accordance with the IC requirement designator.

Two Categories of Record Information

The matrix contains two categories of information: IC application information and ASC X12 information.

- IC application information describes attributes outside the structure and syntax of the ASC X12 standard.
- ASC X12 information is attached to each IC element. That information is extracted directly from the X12 standard dictionary and enables programmers to map the IC element into the standards.

Matrix Layout

The IC element matrix lists information in sixteen columns.

- IC Index Number (Index) enables designers and programmers to quickly cite a record in the matrix.
- IC Data Group Number (DG) is a number assigned by the IC developers. That number identifies an IC element with a group of elements that form a database table within the application data model. In order to quickly reference a table, Defense transportation developers label database tables with a Data Group number. For example, a “Bill To Address” may belong to the “PURCHASE ORDER” parent table with GRP = 10. A “Stop-off Delivery Address” may belong to the “ITEM DELIVERY” child table with GRP = 60.
- IC Data Element Name (Data Name) is a label for each data element using terminology common to the business environment. The IC element matrix identifies an element as a “Carrier Shipment ID.” This is more concise than using the generic X12 label of “Shipment Identification Number.” A segment header record identifies the segment ID in this field.
- IC Notes & Codes (DoD Information Notes and Codes) can contain application notes about various segment and element conditions or requirements. This column may also list both X12 standard codes and DoD unique codes. If the list is larger than 20 codes, it may appear in the section that contains Code Lists.
- IC Attributes (Attributes). When part of a segment header record, this column indicates the usage of the segment. When part of an element record, this column indicates the usage of the element within the segment, if the segment is used. Attributes may differ from those in the X12 standard. For example, if trading partners expect to exchange a purchase order number that has a specific length and structure, those attributes are described here. Attributes include requirement designator, data element type, minimum length and maximum length.
- 12 Transaction Set Table Number (Tabl).
- X12 Segment Position (Pos).
- X12 Requirement Designator (Req Des). This column applies only to Segment Header type matrix records.
- X12 Maximum Usage (Max Use). This column applies only to Segment Header type matrix records.
- X12 Loop Repeat (Lp Rpt) indicates the number of times a loop may be used. This column applies only to Segment Header type matrix records.
- X12 Loop Level (Lp Lv). Loops may be nested within other loops. This column indicates the nesting level for each loop and applies only to Segment Header type matrix records.
- X12 Loop ID (Lp ID). This column applies only to Segment Header type matrix records.
- X12 Segment Reference Designator (Ref Des). This column applies only to Element type matrix records.
- X12 Simple or Composite Data Element Number (DE#). This column applies only to Element type matrix records.

- X12 Simple Data Element Attributes (Attributes). Attributes listed include the data element requirement designator, data element type, minimum length and maximum length. This column applies only to Element type matrix records.
- X12 Composite Data Element Attributes ((Composite) Attributes). Attributes listed include the simple data element number, requirement designator, data element type, minimum length and maximum length. This column applies only to Element type matrix records.

Sort Order of the Matrix

The matrix presents IC elements in an order that enables programmers to generate application-to-translator interface files (also known as user-defined files or UDFs) that are syntactically correct to ASC X12 standards. IC elements are grouped under segment header records. When exchanging an IC element, the programmer needs to generate the entire segment under which the element is listed. Likewise, when exchanging a segment, the programmer needs to generate the entire loop structure to which the segment belongs.

APPLICATION NOTES

The IC element matrix in this section maps data requirements for the GBL Information Request. DoD coordinated the IC elements between transportation activities involved in the DoD electronic data interchange effort.

DEPARTMENT OF DEFENSE
TRANSPORTATION EDI CONVENTION

3RD PARTY LOGISTICS TRANSPORTATION SERVICE RESPONSE
220.D.004010

DoD INFORMATION				X12 SEGMENT INFORMATION							X12 ELEMENT INFORMATION				
Index	DG	Data Name Notes and Codes	DoD Recommended Attributes	Tabl	Pos	Req Des	Max Use	Lp Rpt	Lp Lvl	Lp ID	Ref Des	DE #	Attributes		
1		ST SEGMENT - 3rd Party Logistics Transportation Service Response Header Use this implementation convention (IC) for 3rd Party Logistics Transportation Service Response.	M	1	010	M	1								
1-01		Transaction Set Identifier Code 220 - Logistics Service Response	M ID 3/3	1	010	M	1				ST01	143	M	ID	3/3
				The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).											
1-02		Transaction Set Control Number The application and structure of the control number must be agreed upon between trading partners. (For example, some applications use all nine digits where the first five might indicate a group control number and the last four represent the sequence of the transaction set within the functional group. Also, the entire nine digit field may simply represent the sequence of the transaction set generated by a trading partner.)	M AN 4/9	1	010	M	1				ST02	329	M	AN	4/9
2		B9 SEGMENT - Record Number/Purpose/Shipment Method	M	1	020	M	1								
2-01		3rd Party Logistics Coordinator Internal Order Number Enter the internal order number assigned by the 3rd Party Logistics Coordinator's transportation management system.	M AN 1/30	1	020	M	1				B901	127	M	AN	1/30
				B901 is the logistics identification number.											
2-02		Transaction Set Purpose Code 00 - Original <i>Use '00' to denote Original Response.</i> 04 - Change <i>Use '04' to denote Change or Additional Information transmitted subsequent to the original response.</i> 44 - Rejection <i>Use '44' to denote Refusal of Service.</i>	M ID 2/2	1	020	M	1				B902	353	M	ID	2/2
3		B9A SEGMENT - Service Request Code	M	1	030	M	7								
3-01		Service Request Code RE - Rate Estimate <i>Use 'RE' to denote this is a Defense Freight Transportation Services (DFTS) shipment.</i>	M ID 2/2	1	030	M	7				B9A01	1644	M	ID	2/2
4		L11 SEGMENT - Shipper Offer Record Number Use this segment to indicate the offer record number that appeared in the B901 of the shipper's 219A request. Repeat the segment for as many offers as this transaction is responding to. Sequence the offer record numbers according to desired trailer load sequence (i.e., load last load first, first load last, etc.).	M	1	040	O	99								
				At least one of L1101 or L1103 is required. If either L1101 or L1102 is present, then the other is required.											

DEPARTMENT OF DEFENSE
TRANSPORTATION EDI CONVENTION

3RD PARTY LOGISTICS TRANSPORTATION SERVICE RESPONSE
220.D.004010

DoD INFORMATION					X12 SEGMENT INFORMATION							X12 ELEMENT INFORMATION			
Index	DG	Data Name Notes and Codes	DoD Recommended Attributes		Tabl	Pos	Req Des	Max Use	Lp Rpt	Lp Lvl	Lp ID	Ref Des	DE #	Attributes	
4-01		Shipper Offer Record Number Enter the unique logistics identification number assigned by the shipper. This will equal the number submitted in the B901 of a corresponding X12 219 transportation offer.	M	AN	1/30	1	040	O	99			L1101	127	C	AN 1/30
4-02		Shipper Offer Record Number Qualifier CR - Customer Reference Number <i>Use 'CR' to denote Shipper Offer Record Number.</i>	M	ID	2/2	1	040	O	99			L1102	128	C	ID 2/3
5		MS3 SEGMENT - Carrier Assigned to Shipment	M			1	060	O	99						
															If MS305 is present, then MS303 is required.
5-01		Standard Carrier Alpha Code (SCAC) The SCAC of the carrier to which the 3rd Party Logistics Coordinator assigned the shipment SOURCE: Directory of Standard Multi-Model Carriers and Tariff Agents Codes (SCAC-STAC), NMF 101 Series available from National Motor Freight Association, Inc.	M	ID	2/4	1	060	O	99			MS301	140	M	ID 2/4
															MS301 is the Standard Carrier Alpha Code (SCAC) of the interline carrier.
5-02		Routing Sequence Code B - Origin/Delivery Carrier (Any Mode)	M	ID	1/1	1	060	O	99			MS302	133	M	ID 1/2
5-04		Transportation Method/Type Code A - Air AE - Air Express AF - Air Freight DW - Driveaway, Truckaway, Towaway J - Motor <i>Use 'J' to denote Motor, Truckload.</i> L - Contract Carrier <i>Use 'L' to denote Scheduled/Dedicated Trucks.</i> LT - Less Than Trailer Load (LTL) <i>Use 'LT' to denote Motor, Less Than Truckload.</i> R - Rail <i>Use 'R' to denote Rail, Carload.</i> X - Intermodal (Piggyback)	M	ID	1/2	1	060	O	99			MS304	91	O	ID 1/2

DoD INFORMATION					X12 SEGMENT INFORMATION						X12 ELEMENT INFORMATION			
Index	DG	Data Name Notes and Codes	DoD Recommended Attributes		Tabl	Pos	Req Des	Max Use	Lp Rpt	Lp Lvl	Lp ID	Ref Des	DE #	Attributes
6		NTE SEGMENT - Rate Structure Tier Applied SEGMENT CONDITION: Use this segment to indicate the rate structure requested under the DFTS contract. Use of this segment is required for all DFTS transportation service responses except those transported by rail.	C		1	070	O	10						
					The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processable. The use of the NTE segment should therefore be avoided, if at all possible, in an automated environment.									
6-01		Rate Structure Tier Qualifier TRA - Transportation <i>Use 'TRA' to denote DFTS Rate Structure Tier.</i>	M	ID	3/3	1	070	O	10			NTE01	363	O ID 3/3
6-02		Rate Structure Tier Applied Use this element to indicate the DFTS Rate Structure Tier and method applied by the DFTS coordinator. 123 - 12/24 Rate Structure Tier with a 3 digit zip code rating method applied 125 - 12/24 Rate Structure Tier with a 5 digit zip code rating method applied 12S - 12/24 Rate Structure Tier with a state rating method applied 243 - 24/48 Rate Structure Tier with a 3 digit zip code rating method applied 245 - 24/48 Rate Structure Tier with a 5 digit zip code rating method applied 24S - 24/48 Rate Structure Tier with a state rating method applied 43 - 4/8 Rate Structure Tier with a 3 digit zip code rating method applied 45 - 4/8 Rate Structure Tier with a 5 digit zip code rating method applied 4S - 4/8 Rate Structure Tier with a state rating method applied	M	ID	2/3	1	070	O	10			NTE02	352	M AN 1/80
7		NTE SEGMENT - Number of Vehicles Requested SEGMENT CONDITION: Use when requesting truckload moves and the shipper knows the number trucks required for the move.	C			1	070	O	10					
					The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processable. The use of the NTE segment should therefore be avoided, if at all possible, in an automated environment.									
7-01		Number of Vehicles Requested Qualifier EED - Equipment Description <i>Use 'EED' to denote Number of Vehicles Requested.</i>	M	ID	3/3	1	070	O	10			NTE01	363	O ID 3/3
7-02		Number of Vehicles Requested Enter numeric value of the number of vehicles being requested.	M	AN	1/2	1	070	O	10			NTE02	352	M AN 1/80
8		NTE SEGMENT - Refusal of Service Reason SEGMENT CONDITION: Use this segment to indicate the reason for a refusal of service.	C			1	070	O	10					
					The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processable. The use of the NTE segment should therefore be avoided, if at all possible, in an automated environment.									

DEPARTMENT OF DEFENSE
TRANSPORTATION EDI CONVENTION

3RD PARTY LOGISTICS TRANSPORTATION SERVICE RESPONSE
220.D.004010

DoD INFORMATION					X12 SEGMENT INFORMATION						X12 ELEMENT INFORMATION						
Index	DG	Data Name Notes and Codes	DoD Recommended Attributes		Tabl	Pos	Req Des	Max Use	Lp Rpt	Lp Lvl	Lp ID	Ref Des	DE #	Attributes			
8-01		Refusal of Service Qualifier RPT - Report Remarks <i>Use 'RPT' to denote Refusal of Service Comments. Required and only used when B902 equals '44'.</i>	M	ID	3/3	1	070	O	10			NTE01	363	O	ID	3/3	
8-02		Refusal of Service Comments Required and only used when B902 equals '44'. Used to pass the text description of the reason for refusal of service to be provided by the 3rd Party Logistics Coordinator	M	AN	1/80	1	070	O	10			NTE02	352	M	AN	1/80	
9		LCD SEGMENT - Mandatory Loop Header Segment required because L3 segment is used.	M			1	080	O	1	99	1	0500					
9-01		Mandatory Element Sample Values: Z	M	AN	1/1	1	080	O	1	99	1	0500	LCD01	350	M	AN	1/20
10		ITA SEGMENT - Time-Definite Service Level SEGMENT CONDITION: Only used for DFTS shipments where Time-Definite Service Level requirements are met. If used, the N722 - Equipment Type code must equal 'QQ'	C			1	090	O	999	99	1	0500					
10-01		Time-Definite Service Level Indicator S - Service	M	ID	1/1	1	090	O	999	99	1	0500	ITA01	248	M	ID	1/1
10-03		Time-Definite Service Code D1 - One - Day Service D2 - Two - Day Service DA - Delivery Acknowledgment <i>Use 'DA' to denote Three - Day Service.</i>	M	ID	2/10	1	090	O	999	99	1	0500	ITA03	560	C	ID	2/10
11		L9 SEGMENT - Accessorial/Special Handling Charge Detail SEGMENT CONDITION: If available, data must be sent	C			1	110	O	999	99	1	0500					

DEPARTMENT OF DEFENSE
TRANSPORTATION EDI CONVENTION

3RD PARTY LOGISTICS TRANSPORTATION SERVICE RESPONSE
220.D.004010

DoD INFORMATION				X12 SEGMENT INFORMATION						X12 ELEMENT INFORMATION				
Index	DG	Data Name Notes and Codes	DoD Recommended Attributes	Tabl	Pos	Req Des	Max Use	Lp Rpt	Lp Lvl	Lp ID	Ref Des	DE #	Attributes	
11-01		Accessorial/Special Handling Service Code Use this segment to report the type and cost of each accessorial/special handling service EXCEPT the fuel surcharge (fuel surcharge appears in the L307). Repeat the segment as needed for each accessorial/special handling service. SOURCE: Reference Section 6.0 of this IC for code values using applicable Accessorial/Special Handling Charge Detail table. Common code values associated with multiple definitions prevents documentation of the entire sub-set. Sample Values: AAS, ARG, BLK, CCS	M ID 3/3	1	110	O	999	99	1	0500	L901	150	M ID 3/3	
11-02		Accessorial/Special Handling Service Amount The cost of the accessorial service that will be provided for the shipment.	M R 1/9	1	110	O	999	99	1	0500	L902	782	M R 1/18	
12		L3 SEGMENT - Shipment Weight/Rate Totals	M	1	120	O	999	99	1	0500				
12-01		Gross Weight	M R 1/10	1	120	O	999	99	1	0500	L301	81	C R 1/10	
12-02		Weight Qualifier Use code value 'G' only if requesting movement for a stuffed container or loaded trailer. FR - Freight Weight G - Gross Weight	M ID 1/2	1	120	O	999	99	1	0500	L302	187	C ID 1/2	
12-03		Rate Enter the coordinator's rate for the shipment, based on either cost per hundredweight or cost per mile. The final rate invoiced may be revised as the coordinator performs further shipment optimization and consolidation.	M R 1/9	1	120	O	999	99	1	0500	L303	60	C R 1/9	

DEPARTMENT OF DEFENSE
TRANSPORTATION EDI CONVENTION

3RD PARTY LOGISTICS TRANSPORTATION SERVICE RESPONSE
220.D.004010

DoD INFORMATION					X12 SEGMENT INFORMATION							X12 ELEMENT INFORMATION				
Index	DG	Data Name Notes and Codes	DoD Recommended Attributes		Tabl	Pos	Req Des	Max Use	Lp Rpt	Lp Lvl	Lp ID	Ref Des	DE #	Attributes		
12-04		Rate Qualifier CW - Per Hundred Weight LB - Per Pound PA - Per Container PC - Per Car <i>Use 'PC' to denote Per Rail Car Used.</i> PM - Per Mile PV - Per Vehicle <i>Use 'PV' to denote Per Vehicle Moved.</i>	M	ID	2/2	1	120	O	999	99	1	0500	L304	122	C ID	2/2
12-05		Estimated Shipment Charge The total estimated charge for the shipment, including cost per mile/hundredweight, mileage, accessorial service charges, and fuel surcharge. The final cost invoiced may be revised as the coordinator performs further shipment optimization and consolidation.	M	N2	1/12	1	120	O	999	99	1	0500	L305	58	O N2	1/12
12-06		Accessorial Service Charge Total The total cost of accessorial services to be provided (should equal the sum of each occurrence of the previous L902 data element). Do not use to report fuel surcharge -- use L307. ELEMENT CONDITION: If available, data must be sent	C	N2	1/9	1	120	O	999	99	1	0500	L306	191	O N2	1/9
12-07		Fuel Surcharge ELEMENT CONDITION: If applicable, report fuel surcharge for shipment here. Include as part of total shipment charge in L305.	C	N2	1/9	1	120	O	999	99	1	0500	L307	117	O N2	1/9
12-11		Lading Quantity The number of shipment units in the 219A offer.	M	N0	1/7	1	120	O	999	99	1	0500	L311	80	O N0	1/7
13		N7 SEGMENT - Special Equipment Request LOOP CONDITION: The 3rd Party Logistics Coordinator is to provide equipment details if known when responding to a 219 service request.	C			1	130	O	1	99	1	1000				
13-01		Equipment Initial The equipment initials. If directly loading a pooled trailer, this field value should match that provided by the shipper in the X12 219 transportation request, unless other arrangements have been made between the shipper and the coordinator. SOURCE: IATA Unit Load Devices Manual available from International Air Transport Association	M	AN	1/4	1	130	O	1	99	1	1000	N701	206	O AN	1/4

DEPARTMENT OF DEFENSE
TRANSPORTATION EDI CONVENTION

3RD PARTY LOGISTICS TRANSPORTATION SERVICE RESPONSE
220.D.004010

DoD INFORMATION				X12 SEGMENT INFORMATION							X12 ELEMENT INFORMATION			
Index	DG	Data Name Notes and Codes	DoD Recommended Attributes	Tabl	Pos	Req Des	Max Use	Lp Rpt	Lp Lvl	Lp ID	Ref Des	DE #	Attributes	
13-02		Equipment Number The serial number of the equipment to be used. For direct loads from a trailer pool, enter the equipment number provided by the shipper.	M AN 1/10	1	130	O	1	99	1	1000	N702	207	M AN	1/10
13-03		Equipment Weight Capacity Express in 1000 lb units. Entry may contain a decimal; if not, decimal is assumed at right-most point of the field. ELEMENT CONDITION: If available, data must be sent	C R 1/10	1	130	O	1	99	1	1000	N703	81	C R	1/10
13-04		Weight Qualifier ELEMENT CONDITION: Required if N703 is used. N - Actual Net Weight	C ID 1/1	1	130	O	1	99	1	1000	N704	187	C ID	1/2
13-08		Equipment Cube ELEMENT CONDITION: If available, data must be sent	C R 1/8	1	130	O	1	99	1	1000	N708	183	C R	1/8
13-09		Equipment Cube Qualifier ELEMENT CONDITION: Required if N708 is used. E - Cubic Feet	C ID 1/1	1	130	O	1	99	1	1000	N709	184	C ID	1/1
13-13		Temperature Control Use to specify temperature setting for reefer shipments. ELEMENT CONDITION: If necessary, indicate minimum and maximum temperature. Report all temperatures in Fahrenheit. Sample Values: +30, -10	C AN 3/6	1	130	O	1	99	1	1000	N713	319	O AN	3/6
13-15		Equipment Length ELEMENT CONDITION: If available, data must be sent	C N0 4/5	1	130	O	1	99	1	1000	N715	567	O N0	4/5
13-22		Equipment Type Code to identify the equipment type. Use DoD equipment codes. Left justify the code and fill to the right with the lower case 'x' until a length of four characters is attained. See Section 6 for list of data values.	M ID 4/4	1	130	O	1	99	1	1000	N722	24	O ID	4/4
14		S5 SEGMENT - Pick-up Location LOOP CONDITION: Use this S5 loop to describe shipment pickup information and pickup location. Not used when transaction purpose code is '01' (cancellation). Currently used only for shippers using GFM	C	2	010	O	1	99	1	2000	If either S503 or S504 is present, then the other is required. If either S505 or S506 is present, then the other is required. If either S507 or S508 is present, then the other is required.			

DEPARTMENT OF DEFENSE
TRANSPORTATION EDI CONVENTION

3RD PARTY LOGISTICS TRANSPORTATION SERVICE RESPONSE
220.D.004010

DoD INFORMATION					X12 SEGMENT INFORMATION							X12 ELEMENT INFORMATION					
Index	DG	Data Name Notes and Codes	DoD Recommended Attributes		Tabl	Pos	Req Des	Max Use	Lp Rpt	Lp Lvl	Lp ID	Ref Des	DE #	Attributes			
14-01		Stop Sequence Number Enter value one (1) and increment by one for each successive S5 segment.	M	N0	1/3	2	010	O	1	99	1	2000	S501	165	M	N0	1/3
14-02		Stop Reason Code LD - Load	M	ID	2/2	2	010	O	1	99	1	2000	S502	163	M	ID	2/2
15		G62 SEGMENT - Scheduled Pick-up Date	M			2	020	O	2	99	1	2000					
15-01		Scheduled Pick-up Date Qualifier 10 - Requested Ship Date/Pick-up Date <i>Use '10' to denote Requested Pick-up Date.</i>	M	ID	2/2	2	020	O	2	99	1	2000	G6201	432	C	ID	2/2
15-02		Scheduled Pick-up Date	M	DT	8/8	2	020	O	2	99	1	2000	G6202	373	C	DT	8/8
15-03		Time Qualifier ELEMENT CONDITION: If available, data must be sent U - Scheduled Pick Up Time	C	ID	1/1	2	020	O	2	99	1	2000	G6203	176	C	ID	1/2
15-04		Scheduled Pick-up Time Format is 'HHMM'. ELEMENT CONDITION: If available, data must be sent	C	TM	4/4	2	020	O	2	99	1	2000	G6204	337	C	TM	4/8
15-05		Time Code ELEMENT CONDITION: Required if G6204 is present. SOURCE: ISO 8601 available from American National Standards Institute LT - Local Time UT - Universal Time Coordinate	C	ID	2/2	2	020	O	2	99	1	2000	G6205	623	O	ID	2/2
16		N1 SEGMENT - Origin (SF) Data	M			2	050	O	1	1	2	2100					
16-01		Origin Name Qualifier SF - Ship From	M	ID	2/2	2	050	O	1	1	2	2100	N101	98	M	ID	2/3

DEPARTMENT OF DEFENSE
TRANSPORTATION EDI CONVENTION

3RD PARTY LOGISTICS TRANSPORTATION SERVICE RESPONSE
220.D.004010

DoD INFORMATION					X12 SEGMENT INFORMATION							X12 ELEMENT INFORMATION					
Index	DG	Data Name Notes and Codes	DoD Recommended Attributes		Tabl	Pos	Req Des	Max Use	Lp Rpt	Lp Lvl	Lp ID	Ref Des	DE #	Attributes			
16-02		Origin Name ELEMENT CONDITION: If available, data must be sent	C	AN	1/60	2	050	O	1	1	2	2100	N102	93	C	AN	1/60
16-03		DoDAAC/CAGE Qualifier 10 - Department of Defense Activity Address Code (DODAAC) 33 - Commercial and Government Entity (CAGE)	M	ID	2/2	2	050	O	1	1	2	2100	N103	66	C	ID	1/2
16-04		Origin DoDAAC/CAGE If DoDAAC/CAGE is unavailable, then N104 = 'XXXXXX' and the complete clear text name and address of the origin is required in the associated N1 loop.	M	AN	5/6	2	050	O	1	1	2	2100	N104	67	C	AN	2/80
17		N2 SEGMENT - Additional Origin Name SEGMENT CONDITION: Use if additional origin name applies.	C			2	060	O	1	1	2	2100					
17-01		Additional Origin Name	M	AN	1/60	2	060	O	1	1	2	2100	N201	93	M	AN	1/60
18		N3 SEGMENT - Origin (SF) Street Address	M			2	070	O	2	1	2	2100					
18-01		Origin Street Address	M	AN	1/55	2	070	O	2	1	2	2100	N301	166	M	AN	1/55
19		N4 SEGMENT - Origin (SF) City Name and State/ZIP Codes	M			2	080	O	1	1	2	2100					
19-01		Origin City Name	M	AN	2/30	2	080	O	1	1	2	2100	N401	19	O	AN	2/30
19-02		Origin State Code SOURCE: National Zip Code and Post Office Directory available from U.S. Postal Service National Information Data Center	M	ID	2/2	2	080	O	1	1	2	2100	N402	156	O	ID	2/2
19-03		Origin ZIP Code SOURCE: National ZIP Code and Post Office Directory, Publication 65 available from U.S. Postal Service; The USPS Domestic Mail Manual available from New Orders Superintendent of Documents	M	ID	5/9	2	080	O	1	1	2	2100	N403	116	O	ID	3/15
20		S5 SEGMENT - Delivery Location Loop LOOP CONDITION: This S5 loop describes shipment delivery information and delivery location. It may be repeated if shipment units are delivered to multiple locations. Currently used only for shippers using GFM.	C			2	010	O	1	99	1	2000					

DEPARTMENT OF DEFENSE
TRANSPORTATION EDI CONVENTION

3RD PARTY LOGISTICS TRANSPORTATION SERVICE RESPONSE
220.D.004010

DoD INFORMATION				X12 SEGMENT INFORMATION						X12 ELEMENT INFORMATION				
Index	DG	Data Name Notes and Codes	DoD Recommended Attributes	Tabl	Pos	Req Des	Max Use	Lp Rpt	Lp Lvl	Lp ID	Ref Des	DE #	Attributes	
20-01		Stop Sequence Number Per usage note in previous S5 segment, enter value two (2) and increment by one for each successive S5 segment.	M N0 1/3	2	010	O	1	99	1	2000	S501	165	M N0	1/3
20-02		Stop Reason Code UL - Unload	M ID 2/2	2	010	O	1	99	1	2000	S502	163	M ID	2/2
21		G62 SEGMENT - Mandatory Delivery Date	M	2	020	O	2	99	1	2000				
21-01		Mandatory Delivery Date Qualifier 67 - Delivered By This Date <i>Use '67' to denote Mandatory Delivery Date.</i>	M ID 2/2	2	020	O	2	99	1	2000	G6201	432	C ID	2/2
21-02		Mandatory Delivery Date	M DT 8/8	2	020	O	2	99	1	2000	G6202	373	C DT	8/8
21-03		Time Qualifier ELEMENT CONDITION: Required if G6204 is used. G - Earliest Requested Deliver Time L - Latest Requested Delivery Time X - Scheduled Delivery Time	C ID 1/1	2	020	O	2	99	1	2000	G6203	176	C ID	1/2
21-04		Mandatory Delivery Date Pickup Time Format is 'HHMM'. ELEMENT CONDITION: If available, data must be sent	C TM 4/4	2	020	O	2	99	1	2000	G6204	337	C TM	4/8
21-05		Time Code ELEMENT CONDITION: Required if G6204 is used. SOURCE: ISO 8601 available from American National Standards Institute LT - Local Time UT - Universal Time Coordinate	C ID 2/2	2	020	O	2	99	1	2000	G6205	623	O ID	2/2
22		N1 SEGMENT - Ship-to (ST)	M	2	050	O	1	1	2	2100				

DEPARTMENT OF DEFENSE
TRANSPORTATION EDI CONVENTION

3RD PARTY LOGISTICS TRANSPORTATION SERVICE RESPONSE
220.D.004010

DoD INFORMATION					X12 SEGMENT INFORMATION							X12 ELEMENT INFORMATION					
Index	DG	Data Name Notes and Codes	DoD Recommended Attributes		Tabl	Pos	Req Des	Max Use	Lp Rpt	Lp Lvl	Lp ID	Ref Des	DE #	Attributes			
22-01		Ship-to (ST) Name Qualifier ST - Ship To	M	ID	2/2	2	050	O	1	1	2	2100	N101	98	M	ID	2/3
22-02		Ship-to (ST) Name	M	AN	1/60	2	050	O	1	1	2	2100	N102	93	C	AN	1/60
22-03		DoDAAC/CAGE Qualifier 10 - Department of Defense Activity Address Code (DODAAC) 33 - Commercial and Government Entity (CAGE)	M	ID	2/2	2	050	O	1	1	2	2100	N103	66	C	ID	1/2
22-04		Ship-to (ST) Identification Code If DoDAAC/CAGE is unavailable, then N104 = 'XXXXXX' and the complete clear text name and address of the ship-to is required in the associated N1 loop.	M	AN	5/6	2	050	O	1	1	2	2100	N104	67	C	AN	2/80
23		N2 SEGMENT - Additional Ship-to (ST) Name SEGMENT CONDITION: Use when additional Ship-to (ST) Name applies.	C			2	060	O	1	1	2	2100					
23-01		Additional Ship-to (ST) Name	M	AN	1/60	2	060	O	1	1	2	2100	N201	93	M	AN	1/60
24		N3 SEGMENT - Ship-to (ST) Street Address	M			2	070	O	2	1	2	2100					
24-01		Ship-to (ST) Street Address	M	AN	1/55	2	070	O	2	1	2	2100	N301	166	M	AN	1/55
25		N4 SEGMENT - Ship-to (ST) City Name and State/ZIP Codes	M			2	080	O	1	1	2	2100					
25-01		Ship-to (ST) City Name	M	AN	2/30	2	080	O	1	1	2	2100	N401	19	O	AN	2/30
25-02		Ship-to (ST) State Code SOURCE: National Zip Code and Post Office Directory available from U.S. Postal Service National Information Data Center	M	ID	2/2	2	080	O	1	1	2	2100	N402	156	O	ID	2/2
25-03		Ship-to (ST) ZIP Code SOURCE: National ZIP Code and Post Office Directory, Publication 65 available from U.S Postal Service; The USPS Domestic Mail Manual available from New Orders Superintendent of Documents	M	ID	5/9	2	080	O	1	1	2	2100	N403	116	O	ID	3/15
26		SE SEGMENT - 3rd Party Logistics Transportation Service Response Trailer	M			2	220	M	1								

SE is the last segment of each transaction set.

DoD INFORMATION					X12 SEGMENT INFORMATION						X12 ELEMENT INFORMATION					
Index	DG	Data Name Notes and Codes	DoD Recommended Attributes		Tabl	Pos	Req Des	Max Use	Lp Rpt	Lp Lvl	Lp ID	Ref Des	DE #	Attributes		
26-01		Number of Included Segments	M	N0	1/10	2	220	M	1			SE01	96	M	N0	1/10
26-02		Transaction Set Control Number This data element ends the transaction set and should match the number that appears in the ST02 that begins the transaction set.	M	AN	4/9	2	220	M	1			SE02	329	M	AN	4/9

Section 6.0

Application Code Lists

This section contains code lists that are maintained by the Department of Defense for formatting transportation service request data to the ASC X12 Transaction Set 220.

[11-01] - Accessorial / Special Handling Charge Detail

220 Mapping: 1 110 L901 150

Accessorial Services for Rail Shipments

X12 Code	DoD Definition
045 <i>X12 Definition:</i>	Advancing Charges <i>Advance Fee</i>
490 <i>X12 Definition:</i>	Crane Operator at Destination <i>Minimum Air Transportation Charge</i>
495 <i>X12 Definition:</i>	Crane at Destination <i>Miscellaneous - Destination</i>
500 <i>X12 Definition:</i>	Crane at Origin <i>Miscellaneous - Origin</i>
505 <i>X12 Definition:</i>	Crane Operator at Origin <i>Missing Account NBR Charge</i>
615 <i>X12 Definition:</i>	Transportation Working Capital Fund (TWCF) Recovery Fee <i>Recovery Fee</i>
AAM <i>X12 Definition:</i>	Protective Material Provided for Blocking and Bracing <i>Additional Material</i>
AAS	Attendants Accompanying
ARG	Rail Armed Guard Service
BLK	Blocking and Bracing Charge
CCS	Carrier Caboose Charge
CGC <i>X12 Definition:</i>	Carrier Guard Cars <i>Carrier Guard Car Charge</i>
CGR <i>X12 Definition:</i>	Governments Caboose / Guard Cars Returned <i>Return Carrier Guard Car Charge</i>
CSP	Government Caboose Charge
DEM	Demurrage
DPD <i>X12 Definition:</i>	Drayage at Destination <i>Drayage at Port of Debarkation</i>
DPE <i>X12 Definition:</i>	Drayage at Origin <i>Drayage at Port of Embarkation</i>
DTB <i>X12 Definition:</i>	Detention of Vehicles <i>Detention (Labor)</i>
ECS <i>X12 Definition:</i>	Empty Cars Ordered but Not Used <i>Empty Railcar Ordered but Not Used</i>
EXC	Exclusive Use
FCS <i>X12 Definition:</i>	Furnishing Chassis for COFC Shipments <i>Furnishing Chassis</i>
GSP	Government Guard Car Charge
GSS	Greater Security Service
HHB *	Handling Freight Not Adjacent to Vehicle
HOL	Sunday or Holiday Pick-up or Delivery
HRS	Heater or Refrigeration
IDC	Idler Car Charge
IMS <i>X12 Definition:</i>	Intermodal Shipment <i>Intermodal Shipment Service Charge</i>
LDA <i>X12 Definition:</i>	Carrier to Load <i>Loading Allowance</i>
LDL <i>X12 Definition:</i>	Carrier to Unload <i>Unloading Allowance</i>
LFD <i>X12 Definition:</i>	Dedicated Switch Engine at Destination <i>Linehaul From Port of Debarkation</i>

LIE	Liability of Transportation Service Provider
<i>X12 Definition:</i>	<i>Liability of Carrier Charge</i>
LMD	Dedicated Switch Engine at Destination
<i>X12 Definition:</i>	<i>Liner Terms at Port of Debarkation</i>
LME	Dedicated Switch Engine at Origin
<i>X12 Definition:</i>	<i>Liner Terms at Port of Embarkation</i>
LTE	Dedicated Switch Engine Crew at Origin
<i>X12 Definition:</i>	<i>Linehaul to Port of Embarkation</i>
PRL	Prelodging
<i>X12 Definition:</i>	<i>Preldodge Charge</i>
PUC	Urgent Pickup Service
<i>X12 Definition:</i>	<i>Pick-up Charge</i>
PUD	Pick-Up and Delivery
RCC	Reconsignment/Diversion
<i>X12 Definition:</i>	<i>Reconsignment Charge</i>
RCL	Redelivery
RDH	Technical Assistance for Loading Rail Cars
<i>X12 Definition:</i>	<i>Railhead Handling</i>
RIS *	Rail Inspection Service
RLS	Relocation of Service
RMC	Return of Empty Container Charge
RMP	Return Movement of Pallet Charge
SAT	Saturday Pick-up Charge
<i>X12 Definition:</i>	<i>Saturday Pick-up or Delivery Charge</i>
SFT	Special Train Service
<i>X12 Definition:</i>	<i>Special Train Movement</i>
SOC	Stop-off Charge
SPU	Split Pickup
SRG	Storage
SRS	Surveying Routes
SUP	Inspector Requested for Loading
<i>X12 Definition:</i>	<i>Supervisor Requested</i>
SVS	Storage of Vehicles
TER	Carrier to Unblock, Unbrace, and Untie
<i>X12 Definition:</i>	<i>Terminal Handling Charges</i>
TMV	Tendering of Multiple Vehicles
URC	Loading / Unloading
<i>X12 Definition:</i>	<i>Unloading / Reloading Charge</i>
VFN	Vehicles Furnished but Not Used
WTV	Weight Verification Charge

* Migration Code

Accessorial Services for Tailored Transportation Contract Traffic Shipments

Item Number	X12 Code	DoD Definition
	405	Fuel Surcharge
	615	Transportation Working Capital Fund (TWCF) Recovery Fee
	<i>X12 Definition:</i>	<i>Recovery Fee</i>
105	CIS	DoD Constant Surveillance Service
	<i>X12 Definition:</i>	<i>Constant Surveillance</i>
140	675	Signature and Tally Record Service
	<i>X12 Definition:</i>	<i>Security Signature Service</i>
205	045	Advancing Charges
	<i>X12 Definition:</i>	<i>Advance Fee</i>
255	CHN	Chains and Binders
	<i>X12 Definition:</i>	<i>Chain and Binders</i>
285	DEP	Detention: Vehicles with Power Units
	<i>X12 Definition:</i>	<i>Detention of Power Units</i>
290	DET	Detention: Vehicles Without Power Units
	<i>X12 Definition:</i>	<i>Detention of Trailers</i>
310	EXC	Exclusive User of Vehicle
	<i>X12 Definition:</i>	<i>Exclusive Use Charge</i>
315	EXP	Expedited Service Charge
320	EXD	Extra Driver
350	LIE	Cargo Liability of Carrier
	<i>X12 Definition:</i>	<i>Liability of Carrier Charge</i>
355	URC	Loading / Unloading by Motor Carriers
	<i>X12 Definition:</i>	<i>Unloading / Reloading Charge</i>
410	HOL	Sunday or Holiday Pick-up or Delivery
	PUC	Urgent Pickup Service
	<i>X12 Definition:</i>	<i>Pick-up Charge</i>
410	PUD	Pick-up/Delivery o/t Normal Bus hours
	<i>X12 Definition:</i>	<i>Pick-up and Delivery</i>
410	SAT	Saturday Pick-up or Delivery Charge
430	PTS	Protective Tarping for Security Purposes
	<i>X12 Definition:</i>	<i>Protective Tarp for Security Purposes</i>
440	RCC	Reconsignment / Diversion
	<i>X12 Definition:</i>	<i>Reconsignment Charge</i>
445	RCL	Redelivery
450	RLS	Relocation of Vehicle
485	SDL	Split Delivery
490	SPU	Split Pickup
495	SOC	Stop-off Charge
500	SRG	Storage
530	VFN	Vehicles Furnished But Not Used

* Migration Code

Accessorial / Protective Service for Air Shipments

X12 Code	DoD Definition
020	Address Correction
045	Advancing Charges
<i>X12 Definition:</i>	<i>Advanced Fee</i>
405	Fuel Surcharge
520	Overdimensional
<i>X12 Definition:</i>	<i>Oversized Premium</i>
615	Transportation Working Capital Fund (TWCF) Recovery Fee
<i>X12 Definition:</i>	<i>Recovery Fee</i>
675	Signature and Tally Record Service
<i>X12 Definition:</i>	<i>Security Signature Service</i>
AFN *	Air Craft Furnished and Not Used
AIR *	Air
<i>X12 Definition:</i>	<i>Air Freight</i>
CIS	DoD Constant Surveillance Service
<i>X12 Definition:</i>	<i>Constant Surveillance</i>
DDN	Dual Driver Protective Service with National Agency Check
<i>X12 Definition:</i>	<i>Dual Driver with National Agency Check</i>
DDP	Dual Driver Protective Service
DEL	Delivery Charge
ECR	Escorts/Couriers
<i>X12 Definition:</i>	<i>Escort/Courier Service</i>
EVC *	Excess Valuation
<i>X12 Definition:</i>	<i>Excess Value Charge</i>
HAZ *	Hazardous Material
<i>X12 Definition:</i>	<i>Hazardous Cargo Charge</i>
HOL	Sunday or Holiday Pickup or Delivery
PSS	Protective Service Security
<i>X12 Definition:</i>	<i>Protective Security Service</i>
PUC	Urgent Pickup Service
<i>X12 Definition:</i>	<i>Pick-up Charge</i>
PUD	Pickup or Delivery Before or After Normal Business Hours
<i>X12 Definition:</i>	<i>Pick-up and Delivery</i>
RCC	Reconsignment Charge
<i>X12 Definition:</i>	<i>Reconsignment</i>
RCL	Redelivery
SAT	Saturday Pickup or Delivery
SEV	Security Escort Vehicle
<i>X12 Definition:</i>	<i>Security Escort Vehicle Service</i>
WTG *	Waiting Time

* Migration Code

Accessorial / Protective Service for Motor Shipments

X12 Code	DoD Definition
045 <i>X12 Definition:</i>	Advancing Charges <i>Advance Fee</i>
405 <i>X12 Definition:</i>	Fuel Adjustment\ <i>Fuel Surcharge</i>
520 <i>X12 Definition:</i>	Overdimension Permit <i>Oversized Premium</i>
615 <i>X12 Definition:</i>	Transportation Working Capital Fund (TWCF) Recovery Fee <i>Recovery Fee</i>
675 <i>X12 Definition:</i>	Signature Tally <i>Security Signature Service</i>
BUA	Bunker Adjustment
CFC	Customs Fees - Container Level
CHN <i>X12 Definition:</i>	Chains and Binders <i>Chain and Binders</i>
CIS	Constant Surveillance
CUF	Currency Adjustment Factor
DDN	Dual Driver with National Agency Check
DDP <i>X12 Definition:</i>	Dual Driver <i>Dual Driver Protective Service</i>
DEP <i>X12 Definition:</i>	Detention of Conveying Equipment and the Power Unit <i>Detention of Power Units</i>
DET <i>X12 Definition:</i>	Detention of Conveying Equipment Excluding the Power Unit <i>Detention of Trailers</i>
ELS	Extra Lights
EMT	Empty Movement
ERS	Empty Return
EXC	Exclusive Use Charge
EXD	Extra Driver
EXP	Expedited Service Charge
HHB *	Handling freight not adjacent to vehicle
HOL	Sunday or Holiday Pick-up or Delivery
IMP	Impactographs
LIE	Liability of Carrier Charge
MEN	Escort Service with Overnight Subsistence
MES <i>X12 Definition:</i>	Escort (standard) <i>Escort Service</i>
MET <i>X12 Definition:</i>	Escort (telephones) <i>Escort Service (Telephone)</i>
MNS <i>X12 Definition:</i>	Motor Surveillance (12-hour calls) <i>Motor Surveillance Service</i>
MVS	Special Motor Surveillance Charge
PER <i>X12 Definition:</i>	Overweight Permit <i>Permit Charge</i>
PRL <i>X12 Definition:</i>	Prelodging <i>Prelodge Charge</i>
PSS <i>X12 Definition:</i>	Protective Security (without armed drivers) <i>Protective Service Security</i>

PTS	Protective Tarping
<i>X12 Definition:</i>	<i>Protective Tarp for Security Purposes</i>
PUC	Urgent Pickup Service
<i>X12 Definition:</i>	<i>Pick-up Charge</i>
PUD	Pick-up and Delivery
PVB	Bonded Privately Owned Vehicle Charge
RCC	Reconsignment / Diversion
<i>X12 Definition:</i>	<i>Reconsignment Charge</i>
RCL	Redelivery
RLS	Relocation of Vehicle
RSS	Restricted Speeds
RSV	Reservations
SAT	Saturday Pick-up or Delivery Charge
SDL	Split Delivery
SEV	Security Escort Service
<i>X12 Definition:</i>	<i>Security Escort Vehicle Service</i>
SNS	Satellite Motor Surveillance
<i>X12 Definition:</i>	<i>Satellite Surveillance Service</i>
SOC	Stop-off Charge
SPU	Split Pickup
SRG	Storage
SRS	Surveying Routes
SSR *	Surveying Routes
<i>X12 Definition:</i>	<i>Saf haven/Secureholding Refusal</i>
TOW *	Motor Towaway Service
TPA *	Carrier Equipment Pool Charge
URC	Loading/Unloading
<i>X12 Definition:</i>	<i>Unloading/Reloading Charge</i>
VFN	Vehicles Furnished But Not Used
VIS	Vehicles Inoperable
VTs	Vehicles in Truckaway
<i>X12 Definition:</i>	<i>Vehicles in Truckway</i>
WTV	Weight Verification Charge

* Migration Code

Bulk Fuel Shipments

X12 Code	DoD Definition
045 <i>X12 Definition:</i>	Advancing Charges <i>Advance Fee</i>
615 <i>X12 Definition:</i>	Transportation Working Capital Fund (TWCF) Recovery Fee <i>Recovery Fee</i>
ADL	Advance Loading Charge
CLN	Cleaning Charge
CTR	Circuitous Routing Charge
DEP <i>X12 Definition:</i>	Detention with Power Unit <i>Detention of Power Units</i>
DET <i>X12 Definition:</i>	Detention Without Power Unit <i>Detention of Trailers</i>
EDD	Equipment Hose at Destination Charge
EDO	Equipment Hose at Origin Charge
EXP	Expedited Service Charge
HOL	Sunday or Holiday Pick-up or Delivery
HOS <i>X12 Definition:</i>	Equipment Hose (over 36') <i>Hose Charge</i>
HOX <i>X12 Definition:</i>	Equipment Hose (special type) <i>Hose Charge Special</i>
PAJ <i>X12 Definition:</i>	Pumping Equipment <i>Pump Charge</i>
PUC <i>X12 Definition:</i>	Urgent Pickup Service <i>Pick-up Charge</i>
PUD	Pick-up and Delivery
RCC <i>X12 Definition:</i>	Reconsignment / Diversion <i>Reconsignment Charge</i>
RCL	Redelivery
SAT <i>X12 Definition:</i>	Saturday Pick-up Charge <i>Saturday Pick-up or Delivery Charge</i>
SOC	Stop-off Charge
SPA * <i>X12 Definition:</i>	Allowances <i>Special Allowance</i>
SPU	Split Pickup
SRG	Storage
TPS	Third-Party Service
VFN	Vehicles Furnished But Not Used
WDS	Waterfront Delivery Charge

* Migration Code

Miscellaneous Services

X12 Code	DoD Definition
615	Transportation Working Capital Fund (TWCF) Recovery Fee
<i>X12Definition:</i>	<i>Recovery Fee</i>
TPS	Third-Party Service

Pipeline Shipments

X12 Code	DoD Definition
615	Transportation Working Capital Fund (TWCF) Recovery Fee
<i>X12 Definition:</i>	<i>Recovery Fee</i>
AIB	Additional Injection/Blending Service Charge
DEL	Delivery Service/Receipt and Issue
<i>X12 Definition:</i>	<i>Delivery Charge</i>
FTR	Filtration Service Charge
LAS *	Co-mingling/Loss Allowance
ORS *	Receipt and Issue other than Normal Hours

* Migration Code

[13-22] - Equipment Type

220 Mapping: 1 330 N722 24

Air

DoD Code	DoD Definition
QQ	Freight (Other than Freight Forwarder)
QU	Taxi
SS	Charter
TT	Freight Forwarder

* Migration Code

Containers

DoD Code	DoD Definition
QA1	Non milvan, 20 feet and less
QA2	Non milvan, 24 feet
QA3	Non milvan, 27 feet
QA4	Non milvan, 35 feet
QA5	Non milvan, 40 feet
QA6	Non milvan, 45 feet and over
QM	MILVAN

* Migration Code

Motor and TOFC (Dimensions are Outside Dimensions)

DoD Code	DoD Definition
A10	410 Dromedary, 102" L x 75 1/2" H x 92" W, 410 cubic feet
A11	Van, air ride, 45 ft or 48 ft, padded, equipped with electric hydraulic powered crane loading unloading system or hydraulic powered
A16	Special Dromedary with MRO
A20	Motor vehicle transport trailer
A30	Removable gooseneck
A40	Flat bed trailer, hot shot, 40 ft and over
A5	Tractor, air ride
A50	Van, closed, padded/logistics type, freight only, w/air ride suspension, 40 ft and over
A6	Tractor, other than air ride
A7	Flat bed, 30 feet and less, hooked in tandem as one unit
A8	Van, air ride, w/temperature and humidity control
A9	Van, closed, padded, w/air ride suspension 2nd & 3rd proviso only
AA1	Van, closed air ride, 30 ft and less
AA2	Van, closed air ride, 31-40 ft
AA3	Van, closed air ride, over 40 ft
AB0	Lowboy, level deck, 10 axles and over
AB2	Lowboy, level deck, 2 axles
AB3	Lowboy, level deck, 3 axles
AB4	Lowboy, level deck, 4 axles
AB5	Lowboy, level deck, 5 axles
AB6	Lowboy, double drop, air ride, w/outriggers, 3 axles
AB7	Lowboy, level deck, 7 axles
AB9	Lowboy, level deck, 9 axles
AC2	Expandable low bed trailer, 2 axles
AC3	Expandable low bed trailer, 3 axles
AC4	Expandable low bed trailer, 4 axles
AD	Regular Dromedary
AD6	Dromedary with Mechanical Restraining Device (MRD)
AE0	Lowboy, double drop, 10 axles and over
AE2	Lowboy, double drop, 2 axles
AE3	Lowboy, double drop, 3 axles
AE4	Lowboy, double drop, 4 axles
AE5	Lowboy, double drop, 5 axles
AE6	Lowboy, double drop, w/outriggers, 3 axles
AE7	Lowboy, double drop, 7 axles
AE9	Lowboy, double drop, 9 axles
AF1	Flat bed, 30 ft and less
AF2	Flat bed, 31-40 ft
AF3	Flat bed, over 40 ft
AF4	Flat bed w/Conestoga trailers 30 ft and less
AF5	Flat bed w/Conestoga trailers 31-40 ft
AF6	Flat bed w/Conestoga trailers over 40 ft
AG1	Van, open, 30 ft and less
AG2	Van, open, 31-40 ft
AG3	Van, open, over 40 ft
AG4	Tautliner Van w/Tarps, 30' or less
AG5	Tautliner Van w/Tarps, 31' to 40'
AG6	Tautliner Van w/Tarps, over 40'

AH2	Drop frame trailer, drop/step deck, 2 axles
AH3	Drop frame trailer, drop/step deck, 3 axles
AI2	Drop frame trailer, drop/step deck, air ride, 2 axles
AI3	Drop frame trailer, drop/step deck, air ride, 3 axles
AJ0	Lowboy, level deck, air ride, 10 axles and over
AJ2	Lowboy, level deck, air ride, 2 axles
AJ3	Lowboy, level deck, air ride, 3 axles
AJ4	Lowboy, level deck, air ride, 4 axles
AJ5	Lowboy, level deck, air ride, 5 axles
AJ6	Lowboy, level deck, air ride, w/outriggers, 3 axles
AJ7	Lowboy, level deck, air ride, 7 axles
AJ9	Lowboy, level deck, air ride, 9 axles
AK	Van, refrigerated, perishable food
AL2	Extendable flat bed trailer, 2 axles
AL3	Extendable flat bed trailer, 3 axles
AL4	Extendable flat bed trailer, 4 axles
AM0	Lowboy, double drop, air ride, 10 axles and over
AM2	Lowboy, double drop, air ride, 2 axles
AM3	Lowboy, double drop, air ride, 3 axles
AM4	Lowboy, double drop, air ride, 4 axles
AM5	Lowboy, double drop, air ride, 5 axles
AM6	Lowboy, double drop, air ride, w/outriggers, 3 axles
AM7	Lowboy, double drop, air ride, 7 axles
AM9	Lowboy, double drop, air ride, 9 axles
AN	Adjustable tilt bed trailer
AO	Driveaway/Truckaway
AO1	Straight truck, enclosed van, air ride, 12 ft, 5,000 lb, maximum cargo capacity
AO2	Straight truck, enclosed van, air ride, 20 ft, 13,000 lb, maximum cargo capacity
AO3	Straight truck, enclosed van, air ride, 12 ft, 5,000 lb, maximum cargo capacity
AO4	Straight truck, enclosed van, air ride, 20 ft, 13,000 lb, maximum cargo capacity
AO5	Straight truck, enclosed van, 20 ft, 13,000 lb, maximum cargo capacity, padded/logistics type, w/ air ride suspension
AO6	Pickup truck, with cap, 18 ft. long, 500 lbs maximum cargo capacity
AO7	Econo van, 17 ft long, 2,000 lbs maximum cargo capacity
AO8	Dump trailer, 28 ft long, 2 axle, hydraulic powered lift
AP	Aft steering unit
AR	Van, refrigerated, other
AS	Livestock transporter
AT1	Tank, 5001-8000 gallons
AT2	Tank, over 8000 gallons
AU	Container, shipper owned, environmental, temperature and humidity controlled.
AV1	Van, closed, 30 ft and less
AV2	Van, closed, 31-40 ft
AV3	Van, closed, over 40 ft
AV4	Van, closed, Rollerbed, 40 ft, fixed rollers
AV5	Van, closed, Rollerbed, 40 ft, retractable rollers
AV6	Van, closed, Rollerbed, 45 ft and over, fixed rollers

* Migration Code

Other Methods

DoD Code	DoD Definition
8X	Pipeline
EE	Bus
MF	Freight Forwarder (Surface)

Rail

DoD Code	DoD Definition
KA	Box, automobile permanently affixed
KB1	Flat, bilevel, not enclosed
KB2	Flat, bilevel, enclosed
KC	Box, nuclear waste, DODX w/racks
KD	Gondola, drop ends
KE	Box, end door
KF1	Flat, any other type, not over 70'
KF2	Flat, any other type, over 70' but not over 90'
KG1	Gondola, any other type, 52' hi capacity
KG2	Gondola, any other type, 65' hi capacity
KH1	Hopper open-top, 80 tons and less
KH2	Hopper open-top, 100 tons, 2000 cubic feet
KH3	Hopper, closed-top, 70 tons, 2000 cubic feet
KH4	Hopper, closed top, 100 tons, 2929 cubic feet
KH5	Hopper, closed-top, 100 tons, 4000 cubic feet
KH6	Hopper, closed-top, 100 tons, 4600 cubic feet
KK1	Refrigerator, perishable foods, not over 53' mechanical
KK2	Refrigerator, perishable foods, over 53', but not over 61 mechanical
KL1	Flat, trilevel, not enclosed
KL2	Flat, trilevel, enclosed
KO1	Box, any other type, not over 52' 6"
KO2	Box, any other type, over 52' 6", but not over 60' 9"
KO3	Box, any other type, over 60' 9"
KP	Box, damage prevention type
RR1	Refrigerator, any other type, not over 53' mechanical
RR2	Refrigerator, any other type, over 53', but not over 65' mechanical
KS	Stock
KT1	Tank, 10,000 gallons
KT2	Tank, 20,000 gallons
KT3	Tank, 30,000 gallons
KU	Caboose, DODX armed guard
KW1	TOFC car
KW2	COFC car
KX	Box, missile, DODX w/refrigeration
KY	Flat, heavy duty
KZ1	Flat, DODX, not over 60'
KZ2	Flat, DODX, over 60'
KZ3	Locomotive under own power, on own wheels
KZ4	Locomotive not under own power, on own wheels
KZ5	Locomotive not under own power, not on own wheels

Water

DoD Code	DoD Definition
WA	Steamship
WE	Covered barge
WG	Cylinder tank barge
WI	Flush deck oil barge
WK	Liquid covered barge
WM	Open barge
WP	Special auto barge